



US00D346787S

United States Patent [19]

[11] Patent Number: **Des. 346,787**

Cullen

[45] Date of Patent: **** May 10, 1994**

[54] **LOCK FOR HOLDING POWER CORD TO EXTENSION CORD**

4,784,612 11/1988 Ryan 439/369 X
4,998,891 3/1991 Bresko 439/369
5,135,409 8/1992 Thompson 439/369 X

[76] Inventor: **James E. Cullen**, 24 Lomita Dr., Mill Valley, Calif. 94941

Primary Examiner—Wallace R. Burke
Assistant Examiner—Joel Sincavage
Attorney, Agent, or Firm—Terry M. Gernstein

[**] Term: **14 Years**

[57] **CLAIM**

[21] Appl. No.: **833**

The ornamental design for a lock for holding power cord to extension cord, as shown and described.

[22] Filed: **Oct. 26, 1992**

[52] U.S. Cl. **D13/154**

DESCRIPTION

[58] Field of Search 439/369; D13/154, 156

FIG. 1 is a front, top and side perspective view of the lock for holding power cord to extension cord showing my new design;

[56] **References Cited**

U.S. PATENT DOCUMENTS


3,030,601	4/1962	Krebs	439/369
3,048,810	8/1962	Steen .	
3,344,393	9/1967	Hendee .	
3,871,731	3/1975	La Coursiere, Sr. et al.	439/369
4,504,106	3/1985	Fechter .	
4,643,505	2/1987	House et al.	439/369

FIG. 2 is a front elevational view thereof;

FIG. 3 is a rear elevational view thereof;

FIG. 4 is a top plan view thereof, the bottom being a mirror image of the top shown in FIG. 4; and,

FIG. 5 is an end elevational view thereof, the end opposite being a mirror image of the end shown in FIG. 5.






FIG. 3.




FIG. 2.




FIG. 4.




FIG. 5

