



US00D346869S

United States Patent [19]

[11] Patent Number: **Des. 346,869**

Houssian

[45] Date of Patent: **** May 10, 1994**

[54] NIGHT LIGHT

[76] Inventor: **Vazgen Houssian**, 380 Mountain Rd., Union City, N.J. 07087

[**] Term: **14 Years**

[21] Appl. No.: **880,316**

[22] Filed: **May 6, 1992**

[52] U.S. Cl. **D26/26; D26/85**

[58] Field of Search **362/147, 432, 226; D26/26, 72-92, 118, 128-137**

[56] References Cited

U.S. PATENT DOCUMENTS

D. 188,213 6/1960 Barto D26/26

OTHER PUBLICATIONS

Bega Lighting Catalog, 1987, p. 10, Wall Lamp No. 3174.

Lightolier Lightstyles Catalog, 1990, p. 37, "Opaline" Ceiling Lamp, No. 6619.

Lightolier Lightstyles Catalog, 1990, p. 61, "Rounder" Ceiling Lamp No. 5000.

Primary Examiner—Susan J. Lucas

Attorney, Agent, or Firm—Lieberman & Nowak

[57] CLAIM

The ornamental design for a night light, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view as seen from the top, front and right side of a night light design;

FIG. 2 is a perspective view as seen from the top, rear and right side of the night light of FIG. 1;

FIG. 3 is a top plan view thereof;

FIG. 4 is a front elevational view thereof;

FIG. 5 is a right side elevational view thereof, the left side being a mirror image;

FIG. 6 is a rear elevational view;

FIG. 7 is a bottom plan view;

FIG. 8 is perspective view similar to FIG. 2 wherein broken lines are for environmental purposes only, and do not constitute a part of the claimed design;

FIG. 9 is a perspective view as seen from the top, front and right side of a second embodiment of my design;

FIG. 10 is a perspective view as seen from the top, rear and right side of the night light of FIG. 9;

FIG. 11 is a top plan view of FIG. 9;

FIG. 12 is a front elevational view of FIG. 9;

FIG. 13 is a right side elevational view of FIG. 9, the left side being a mirror image;

FIG. 14 is a rear elevational view of FIG. 9;

FIG. 15 is a bottom plan view of FIG. 9; and,

FIG. 16 is a perspective view similar to FIG. 10 wherein the broken lines are for environmental purposes only, and do not constitute a part of the claimed design.

The characteristic features of both embodiments of this design reside in the indentation and opening in the rear surface, the rear indentation having a dimension at least that of a conventional wall plate as shown in FIGS. 2, 6, 8, 10, 14, and 16.

The interior lamp, bottom extrusions, and connector prongs are shown in broken lines in FIGS. 1 through 8 and 9 through 16 for illustrative purposes only and form no part of the claimed design.






FIG-1




FIG-2




FIG-3




FIG-4




FIG-5




FIG-6




FIG-7




FIG - 8




FIG-9



FIG-10




FIG-11




FIG-12




FIG-13




FIG-14




FIG-15




FIG-16

