



US00D347002S

# United States Patent [19]

[11] Patent Number: **Des. 347,002**

Lau

[45] Date of Patent: **\*\* May 17, 1994**

[54] TOUCH PLATE FOR PROVIDING A COMPUTER RESPONSE

4,591,710	5/1986	Komadina et al.	250/221
4,882,582	11/1989	Oka	250/221 X
4,916,308	4/1990	Meadows	250/221
4,980,547	12/1990	Griffin	250/221
4,986,662	1/1991	Bures	250/221 X

[76] Inventor: **Clifford B. Lau**, 94-871 Farrington Hwy., 2nd Floor, Waipahu, Hi. 96797-3146

*Primary Examiner*—Wallace R. Burke  
*Assistant Examiner*—M. H. Tung  
*Attorney, Agent, or Firm*—James Creighton Wray

[\*\*] Term: **14 Years**

[21] Appl. No.: **772,048**

### [57] CLAIM

[22] Filed: **Oct. 7, 1991**

The design for the touch plate for providing a computer response, as shown and described.

[52] U.S. Cl. .... **D14/114**

[58] Field of Search ..... 341/31, 28, 20; 209/376-377, 900; 250/214 AL, 221, 221.1, 561, 227.22; 340/712; D14/114; D19/86; D21/14


### DESCRIPTION

### [56] References Cited

#### U.S. PATENT DOCUMENTS

D. 308,198	5/1990	Tedham et al.	D14/114
D. 313,409	1/1991	Chowdhree et al.	D14/114

FIG. 1 shows a perspective view of the touch plate of the invention; FIG. 2 is a side elevational view of the touch plate; and, FIG. 3 is a front elevational view of the touch plate. The base of the touch plate is plain and unornamented. The rear and right sides are identical to the front and left sides, respectively, which are shown in FIG. 1.






FIG. 1



FIG. 3




FIG. 2