



US00D347016S

United States Patent [19] Bolle'

[11] Patent Number: Des. 347,016

[45] Date of Patent: ** May 17, 1994

[54] EYEGLASSES

[75] Inventor: Maurice Bolle', Oyonnax, France

[73] Assignee: Etablissements Bolle', Oyonnax, France

[**] Term: 14 Years

[21] Appl. No.: 4,419

[22] Filed: Feb. 4, 1993

[52] U.S. Cl. D16/112

[58] Field of Search 351/44, 103; 2/439, 2/447, 452; D16/102-122, 123

3,531,189	9/1970	Petito .
3,614,216	10/1971	Rosenthal .
4,102,566	7/1978	Shelton .
4,425,669	1/1984	Grendol et al. .
4,515,448	5/1985	Tackles .
4,549,792	10/1985	Dianitsch .
4,561,734	12/1985	Ayache .
4,670,915	6/1987	Evans .
4,730,915	3/1988	Jannard .
4,741,611	5/1988	Burns .
4,799,781	1/1989	Weber .
4,834,523	5/1989	Porsche .
4,951,322	8/1990	Lin .
5,012,527	5/1991	Michel .
5,032,017	7/1991	Bolle' .
5,035,498	7/1991	Bolle' .

[56] References Cited

U.S. PATENT DOCUMENTS

D. 293,450	12/1987	Jannard .
D. 319,066	8/1991	Bolle' .
D. 321,522	11/1991	Bolle' .
D. 322,975	1/1992	Bolle' .
D. 323,333	1/1992	Jannard .
D. 324,528	3/1992	Jannard .
D. 325,040	3/1992	Jannard .
D. 327,283	6/1992	Bolle' .
D. 329,445	9/1992	Jannard .
D. 330,035	10/1992	Jannard .
D. 330,716	11/1992	Jannard .
D. 330,903	11/1992	Jannard .
D. 334,389	3/1993	Bolle' D16/102
1,099,404	6/1914	Sperry .
2,296,634	9/1942	Fink .
2,311,991	2/1943	Nerney .
2,444,498	7/1948	Cochran .
2,472,731	6/1949	Splaine .
2,513,214	9/1950	Stegeman .
2,529,068	11/1950	Bernheim .
2,529,110	11/1950	Splaine .
2,534,655	12/1950	Baratelli .
2,582,345	1/1952	Moeller .
2,648,067	8/1953	Parmelee .
2,700,765	2/1955	Hoffmaster .
3,233,249	2/1966	Baratelli et al. .
3,526,449	9/1970	Bolle' .

FOREIGN PATENT DOCUMENTS

618827 11/1961 Italy .

OTHER PUBLICATIONS

Skiing Magazine Sep. '92 p. 242 #88888.


Primary Examiner—Bernard Ansher
Assistant Examiner—R. Barkai
Attorney, Agent, or Firm—Gregg I. Anderson

[57] CLAIM

The design for eyeglasses, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of eyeglasses of the design. FIG. 2 is a top plan view of the design shown in FIG. 1; FIG. 3 is a front elevation view of the design shown in FIG. 1; FIG. 4 is a rear elevation view of the design shown in FIG. 1; FIG. 5 is a bottom plan view of the design shown in FIG. 1; and, FIG. 6 is a side elevation view of the design shown in FIG. 1.








Fig-1




Fig_2




Fig_3

Fig_4



Fig_5



Fig_6

