



US00D347016S

United States Patent [19] Bolle'

[11] Patent Number: Des. 347,016

[45] Date of Patent: ** May 17, 1994

[54] EYEGLASSES

[75] Inventor: Maurice Bolle', Oyonnax, France

[73] Assignee: Etablissements Bolle', Oyonnax, France

[**] Term: 14 Years

[21] Appl. No.: 4,419

[22] Filed: Feb. 4, 1993

[52] U.S. Cl. D16/112

[58] Field of Search 351/44, 103; 2/439, 2/447, 452; D16/102-122, 123

- 3,531,189 9/1970 Petit .
- 3,614,216 10/1971 Rosenthal .
- 4,102,566 7/1978 Shelton .
- 4,425,669 1/1984 Grendol et al. .
- 4,515,448 5/1985 Tackles .
- 4,549,792 10/1985 Dianitsch .
- 4,561,734 12/1985 Ayache .
- 4,670,915 6/1987 Evans .
- 4,730,915 3/1988 Jannard .
- 4,741,611 5/1988 Burns .
- 4,799,781 1/1989 Weber .
- 4,834,523 5/1989 Porsche .
- 4,951,322 8/1990 Lin .
- 5,012,527 5/1991 Michel .
- 5,032,017 7/1991 Bolle' .
- 5,035,498 7/1991 Bolle' .

[56] References Cited

U.S. PATENT DOCUMENTS

- D. 293,450 12/1987 Jannard .
- D. 319,066 8/1991 Bolle' .
- D. 321,522 11/1991 Bolle' .
- D. 322,975 1/1992 Bolle' .
- D. 323,333 1/1992 Jannard .
- D. 324,528 3/1992 Jannard .
- D. 325,040 3/1992 Jannard .
- D. 327,283 6/1992 Bolle' .
- D. 329,445 9/1992 Jannard .
- D. 330,035 10/1992 Jannard .
- D. 330,716 11/1992 Jannard .
- D. 330,903 11/1992 Jannard .
- D. 334,389 3/1993 Bolle' D16/102
- 1,099,404 6/1914 Sperry .
- 2,296,634 9/1942 Fink .
- 2,311,991 2/1943 Nerney .
- 2,444,498 7/1948 Cochran .
- 2,472,731 6/1949 Splaine .
- 2,513,214 9/1950 Stegeman .
- 2,529,068 11/1950 Bernheim .
- 2,529,110 11/1950 Splaine .
- 2,534,655 12/1950 Baratelli .
- 2,582,345 1/1952 Moeller .
- 2,648,067 8/1953 Parmelee .
- 2,700,765 2/1955 Hoffmaster .
- 3,233,249 2/1966 Baratelli et al. .
- 3,526,449 9/1970 Bolle' .

FOREIGN PATENT DOCUMENTS

- 618827 11/1961 Italy .

OTHER PUBLICATIONS

Skiing Magazine Sep. '92 p. 242 #8888.


Primary Examiner—Bernard Ansher
Assistant Examiner—R. Barkai
Attorney, Agent, or Firm—Gregg I. Anderson

[57] CLAIM

The design for eyeglasses, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of eyeglasses of the design. FIG. 2 is a top plan view of the design shown in FIG. 1; FIG. 3 is a front elevation view of the design shown in FIG. 1; FIG. 4 is a rear elevation view of the design shown in FIG. 1; FIG. 5 is a bottom plan view of the design shown in FIG. 1; and, FIG. 6 is a side elevation view of the design shown in FIG. 1.








Fig-1




Fig_2




Fig_3

Fig_4



Fig_5



Fig_6

