



US00D347066S

United States Patent [19]

[11] Patent Number: Des. 347,066

Malcolm et al.

[45] Date of Patent: ** May 17, 1994

[54] **BABY BOTTLE CONTAINER**
 [75] Inventors: Alexander R. Malcolm, Dudley, Mass.; Jay F. Cannie, Plainsboro, N.J.
 [73] Assignee: Kinder-Grip Products, Inc., Plainsboro, N.J.
 [**] Term: 14 Years
 [21] Appl. No.: 830,060
 [22] Filed: Feb. 3, 1992
 [52] U.S. Cl. D24/197
 [58] Field of Search 215/11.1, 11.2, 11.3, 215/11.4, 11.5, 11.6; D9/435, 516, 522, 540, 561, 564, 541; D24/197

3,105,324 10/1963 Friedman .
 3,746,198 7/1973 Howland .
 4,557,392 12/1985 Ryan et al. .
 4,570,808 2/1986 Campbell et al. .
 4,700,856 10/1987 Campbell et al. .
 4,941,579 7/1990 Lee .
 5,207,338 5/1993 Sandhu D24/197 X
 5,215,203 6/1993 Malcolm 215/11.1 X

FOREIGN PATENT DOCUMENTS

68395 4/1991 Canada .
 69610 11/1991 Canada .
 1551812 12/1968 France .

Primary Examiner—Stella Reid
 Assistant Examiner—Eric Watterson
 Attorney, Agent, or Firm—Ralph W. Selitto, Jr.

[57] CLAIM

The ornamental design for a baby bottle container, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a baby bottle container, showing our new design, with a nipple-type closure illustrated in phantom;
 FIG. 2 is a front elevational view thereof, the elevational views with the bottle body rotated 120 degrees and 240 degrees from the position shown in FIG. 2 being identical thereto;
 FIG. 3 is an elevational view thereof, with the bottle body rotated 60 degrees, 180 degrees and 300 degrees from the position shown in FIG. 2;
 FIG. 4 is a top plan view thereof;
 FIG. 5 is a bottom plan view thereof;
 FIG. 6 is a cross-sectional top plan view thereof, taken along line I—I of FIG. 2;
 FIG. 7 is a perspective view of a baby bottle container, showing our new design, with a nipple-type closure illustrated in phantom;
 FIG. 8 is a front elevational view thereof, the elevational views with the bottle holder body rotated 120 degrees and 240 degrees from the position shown in FIG. 8 being identical thereto;
 FIG. 9 is an elevational view thereof, with the bottle holder body rotated 60 degrees, 180 degrees and 300 degrees from the position shown in FIG. 8;
 FIG. 10 is a top plan view thereof;
 FIG. 11 is a bottom plan view thereof; and,
 FIG. 12 is a cross-sectional top plan view thereof, taken along line II—II of FIG. 8.

[56] **References Cited**
U.S. PATENT DOCUMENTS
 D. 3,243 11/1868 French .
 D. 23,274 5/1894 Davids .
 D. 63,326 11/1923 Root .
 D. 82,083 9/1930 Fuerst .
 D. 114,660 5/1939 Kerckhoff .
 D. 121,192 6/1940 McKnight .
 D. 145,758 10/1946 Snyder, Jr. .
 D. 146,127 12/1946 Billups .
 D. 149,506 5/1948 Mayfield .
 D. 167,914 10/1952 Taranton .
 D. 174,591 4/1955 Parsell .
 D. 178,259 7/1956 North .
 D. 189,373 11/1960 Lerner .
 D. 193,216 7/1962 Laudano .
 D. 198,404 6/1964 Busch .
 D. 198,405 6/1964 Recknagel .
 D. 214,147 5/1969 Ritsi D9/561 X
 D. 230,325 2/1974 Sofro .
 D. 259,096 5/1981 Dittmeyer .
 D. 282,052 1/1986 Beaver et al. .
 D. 283,920 5/1986 Chen .
 D. 286,911 11/1986 Campbell et al. .
 D. 287,337 12/1986 Nickel .
 D. 320,455 10/1991 Malcolm .
 D. 320,859 10/1991 Malcolm D24/197
 D. 321,936 11/1991 Donovan D24/197
 954,564 4/1910 Dunfee .
 1,693,117 11/1928 McDonnell .
 1,713,858 5/1929 Tevander .
 2,569,139 9/1951 Abelson .
 2,831,596 4/1958 Eyles .
 2,959,314 11/1960 Sanchez .
 2,986,296 5/1961 Bannister et al. .




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8

FIG. 9





FIG. 10




FIG. 11




FIG. 12

