



US00D347076S

United States Patent [19]
DeKleine et al.

[11] Patent Number: Des. 347,076
[45] Date of Patent: ** May 17, 1994

- [54] COMPACT FLUORESCENT LAMP ASSEMBLY
- [75] Inventors: Paul C. DeKleine; Rick A. Perkins, both of Holland, Mich.
- [73] Assignee: Progressive Technology in Lighting, Inc., Holland, Mich.
- [**] Term: 14 Years
- [21] Appl. No.: 880,328
- [22] Filed: May 6, 1992
- [52] U.S. Cl. D26/3
- [58] Field of Search 313/315, 318, 493; 315/56, 57, 58, 63; D16/2, 3, 26

[56] References Cited

U.S. PATENT DOCUMENTS

D. 275,948	10/1984	Vakil .	
D. 289,798	5/1987	Joosten	D26/3
D. 291,358	8/1987	Witte	D26/3
D. 302,471	7/1989	Cassidy et al.	D26/3
D. 302,733	8/1989	Sangen et al.	D26/3
D. 304,030	10/1989	Vakil .	
D. 304,087	10/1989	Porembski et al.	D26/3
D. 304,502	11/1989	Heidemann et al.	D26/3
D. 334,244	3/1993	Shaffer et al.	D26/3
2,009,220	7/1935	Bol	313/318
2,505,993	5/1950	Rogers .	
3,815,080	6/1974	Summa .	
4,375,607	3/1983	Morton et al. .	
4,414,489	11/1983	Young .	
4,545,774	10/1985	Van Gils et al. .	
4,777,405	10/1988	Hermes et al. .	
4,792,726	12/1988	Gandhi .	
4,934,768	6/1990	Blaisdell	313/318 X
5,086,249	2/1992	Blaisdell et al.	313/318

OTHER PUBLICATIONS

The Specification Sheet for PL Adapter by North American Philips Lighting Corporation, published in the USA in 1983.

Product literature entitled "The ULTIMATE in Energy Miser Adapters—EC 300 Series," two pages, published by Progressive Technology in Lighting in the USA, publication date unknown.

Primary Examiner—Susan J. Lucas
Attorney, Agent, or Firm—Price, Heneveld, Cooper, DeWitt & Litton

[57] CLAIM

The ornamental design for the compact fluorescent lamp assembly, as shown and described.

DESCRIPTION

FIG. 1 is a top, front and right side perspective view of a compact fluorescent lamp assembly showing our new design;

FIG. 2 is a top plan view thereof;

FIG. 3 is a bottom plan view thereof;


FIG. 4 is a front elevational view thereof; the rear elevational view, left side elevational view and right side elevational view being identical to the view in FIG. 4;

FIG. 5 is a top, front and right side perspective view of a compact fluorescent lamp assembly showing an alternative embodiment of our new design;

FIG. 6 is a top plan view of the embodiment in FIG. 5;

FIG. 7 is a bottom plan view of the embodiment in FIG. 5; and,

FIG. 8 is a front elevational view of the embodiment in FIG. 5, the rear elevational view, left side elevational view and right side elevational view being identical to the view in FIG. 8.






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8