



US00D347077S

United States Patent [19]

[11] Patent Number: **Des. 347,077**

DeKleine et al.

[45] Date of Patent: **** May 17, 1994**

[54] **COMPACT FLUORESCENT LAMP ASSEMBLY**

[75] Inventors: **Paul C. DeKleine; Rick A. Perkins,** both of Holland, Mich.

[73] Assignee: **Progressive Technology in Lighting, Inc.,** Holland, Mich.

[**] Term: **14 Years**

[21] Appl. No.: **880,331**

[22] Filed: **May 6, 1992**

[52] U.S. Cl. **D26/3**

[58] Field of Search 313/315, 318, 493; 315/56, 57, 58, 63; D26/2, 3, 26

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 275,948	10/1984	Vakil .	
D. 289,798	5/1987	Joosten	D26/3
D. 291,358	8/1987	Witte	D26/3
D. 302,471	7/1989	Cassidy et al.	D26/3
D. 302,733	8/1989	Sangen et al.	D26/3
D. 304,030	10/1989	Vakil .	
D. 304,087	10/1989	Porembski et al.	D26/3
D. 304,502	11/1989	Heidemann et al.	D26/3
D. 334,244	3/1993	Shaffer et al.	D26/3
2,009,220	7/1935	Bol	313/318
2,505,993	5/1950	Rogers .	
3,815,080	6/1974	Summa .	
4,375,607	3/1983	Morton et al. .	
4,414,489	11/1983	Young .	
4,545,774	10/1985	Van Gils et al. .	
4,777,405	10/1988	Hermes et al. .	
4,792,726	12/1988	Gandhi .	
4,934,768	6/1990	Blaisdell	313/318 X
5,086,249	2/1992	Blaisdell et al.	313/318

OTHER PUBLICATIONS

The Specification Sheet for PL Adapter by North

American Philips Lighting Corporation, published in the USA in 1983.

Product literature entitled, "The Ultimate in Energy Miser Adapters-EC 300 Series", two pages, published by Progressive Technology in Lighting in the USA, publication date unknown.

Primary Examiner—Susan J. Lucas
Attorney, Agent, or Firm—Price, Heneveld, Cooper, DeWitt & Litton

[57] **CLAIM**

The ornamental design for the compact fluorescent lamp assembly, as shown and described.

DESCRIPTION

FIG. 1 is a top, front and right side perspective view of a compact fluorescent lamp assembly showing our new design;

FIG. 2 is a top plan view thereof;

FIG. 3 is a bottom plan view thereof;

FIG. 4 is a front elevational view thereof;

FIG. 5 is a rear elevational view thereof;

FIG. 6 is a left side elevational view thereof; the right side elevational view being a mirror image of the view in FIG. 6;


FIG. 7 is a top, front and right side perspective view of a compact fluorescent lamp assembly showing an alternative embodiment of our new design;

FIG. 8 is a top plan view of the embodiment in FIG. 7; FIG. 9 is a bottom plan view of the embodiment in FIG. 7;

FIG. 10 is a front elevational view of the embodiment in FIG. 7;

FIG. 11 is a rear elevational view of the embodiment in FIG. 7; and,

FIG. 12 is a left side elevational view of the embodiment in FIG. 7; the right side elevational view being a mirror image of the view in FIG. 12.






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12