

US00D347174S

United States Patent [19]

Bareiss

[11] Patent Number: Des. 347,174

[45] Date of Patent: ** May 24, 1994

| [54] | COMBINED BOTTLE AND CAP | | |
|------|-------------------------|--|--|
| [76] | Inventor: | Raymond E. Bareiss, 1033 Stillman, Eugene, Oreg. 97404 | |
| [**] | Term: | 14 Years | |
| [21] | Appl. No.: | 821,615 | |
| | U.S. Cl Field of Sea | Jan. 14, 1992 | |
| [56] | U.S. I | References Cited PATENT DOCUMENTS | |

| D. 35,322 | 11/1901 | Roth | D9/561 X |
|--------------------|---------|------------|------------------|
| • | | Panopulo | |
| | | Frydlender | |
| D . 317,406 | 6/1991 | Desgrippes | D 9/529 |
| D . 319,390 | 8/1991 | Bareiss | D 9/575 |
| D. 324,817. | 3/1992 | Bareiss | D 9/575 X |
| D. 328,432 | 8/1992 | O'Reilly | D 9/546 |
| D. 330,656 | 11/1992 | Bareiss | |

Primary Examiner—Bernard Ansher Assistant Examiner—Lucy Lieberman

[57] CLAIM

The ornamental design for a combined bottle and cap, as shown and described.

DESCRIPTION

FIG. 1 is a top, front and right side perspective view of the combined bottle and cap showing my new design; FIG. 2 is a top, rear and right side perspective view thereof;

FIG. 3 is a top plan view thereof;

FIG. 4 is a bottom plan view thereof;

FIG. 5 is a front elevation view of the combined bottle and cap shown in an exploded condition;

FIG. 6 is an elevation view of the combined bottle and

cap shown rotated clockwise 45 degrees with respect to FIG. 5;

FIG. 7 is a right side elevation view thereof;

FIG. 8 is an elevation view of the combined bottle and cap shown rotated clockwise 45 degrees with respect to FIG. 7;

FIG. 9 is a rear elevation view thereof;

FIG. 10 is an elevation view of the combined bottle and cap shown rotated clockwise 45 degrees with respect to FIG. 9;

FIG. 11 is a left side elevation view thereof;

FIG. 12 is an elevation view of the combined bottle and cap shown rotated clockwise 45 degrees with respect to FIG. 11;

FIG. 13 is a top, front and left side perspective view thereof;

FIG. 14 is a top, front and right side perspective view of a second embodiment of the combined bottle and cap, the top, front and left side perspective view is a mirror image thereof;

FIG. 15 is a top, rear and right side perspective view thereof, the top, rear and left side perspective view is a mirror image thereof;


FIG. 16 is a top plan view thereof which is identical to the bottom plan view thereof;


FIG. 17 is a front elevation view of the combined bottle and cap shown in an exploded condition;


FIG. 18 is an elevation view of the combined bottle and cap shown rotated clockwise 45 degrees with respect to FIG. 17 and mirrors the image thereof when rotated counter-clockwise 45 degrees with respect to FIG. 17; FIG. 19 is a right side elevation view thereof, the left side elevation view is a mirror image thereof;


FIG. 20 is an elevation view of the combined bottle and cap shown rotated clockwise 45 degrees with respect to FIG. 19, and mirrors the image thereof when rotated an additional 90 degrees; and,


FIG. 21 is a rear elevation view thereof.




















May 24, 1994

FIG. 22




FIG. 24




FIG. 23




FIG. 25

