



US00D347235S

United States Patent [19]

Ooi et al.

[11] Patent Number: **Des. 347,235**

[45] Date of Patent: **** May 24, 1994**

[54] **COMBINED VIDEO TAPE RECORDER AND CAMERA**

4,837,817 6/1989 Maemori 358/229

[75] Inventors: **Hiroshi Ooi; Seiji Kurokawa**, both of Tochigi, Japan

[73] Assignee: **Sharp Kabushiki Kaisha**, Osaka, Japan

[**] Term: **14 Years**

[21] Appl. No.: **478**

[22] Filed: **Oct. 15, 1992**

[30] **Foreign Application Priority Data**

May 27, 1992 [JP] Japan 4-15581

[52] U.S. Cl. **D16/202**

[58] Field of Search 352/34, 242; 354/82, 354/288; 358/229, 906, 909; D16/200-206, 208

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 191,240	8/1961	Keznickl	D16/205
D. 288,812	3/1987	Miyashita	D16/202
D. 298,134	10/1988	Mori	D16/202
D. 314,782	2/1991	Hong	D16/202
D. 332,794	1/1993	Takita et al.	D16/202

OTHER PUBLICATIONS

Video Review, Jul. 1988, p. 59 (Sharp VL-L250U Camcorder).

Primary Examiner—Melvin B. Feifer
Assistant Examiner—Adir Aronovich
Attorney, Agent, or Firm—Nixon & Vanderhye

[57] CLAIM

The ornamental design for a combined video tape recorder and camera, as shown and described.

DESCRIPTION

FIG. 1 is a top, front perspective view of a combined video tape recorder and camera showing our new design;

FIG. 2 is a top plan view thereof;

FIG. 3 is a front elevational view thereof;

FIG. 4 is a right side elevational view thereof;

FIG. 5 is a rear elevational view thereof;

FIG. 6 is a left side elevational view thereof;

FIG. 7 is a bottom plan view thereof; and,

FIG. 8 is a top, front perspective view thereof, with the viewfinder in horizontal position, the cassette holder opened and the handle pulled out.




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 7




FIG. 6




FIG. 8

