



US00D347397S

United States Patent [19]

[11] Patent Number: **Des. 347,397**

Schmauch

[45] Date of Patent: **** May 31, 1994**

[54] **COMBINED TRANSMITTER AND RECEIVER FOR LOCATING CHILDREN**

D. 339,540 9/1993 Chapelsky D10/106
D. 339,757 9/1993 Feeney D10/106

[76] Inventor: **Charles H. Schmauch**, 8 Spruce Dr., Brookfield, Conn. 06804

Primary Examiner—Wallace R. Burke
Assistant Examiner—Marcus Jackson

[**] Term: **14 Years**

[57] **CLAIM**

[21] Appl. No.: **10,184**

The ornamental design for a combined transmitter and receiver for locating children, as shown and described.

[22] Filed: **Jul. 1, 1993**

DESCRIPTION

[52] U.S. Cl. **D10/104**

FIG. 1 is an exploded front elevational view of the combined transmitter and receiver for locating children showing my new design;

[58] Field of Search 340/345, 348, 349, 351, 340/354, 570, 571, 572, 573; D10/104, 105, 106, 121

FIG. 2 is an exploded rear elevational view thereof;

FIG. 3 is an exploded left side elevational view thereof;

FIG. 4 is an exploded right side elevational view thereof;

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 297,220 8/1988 Dutcher D10/104
D. 312,222 11/1990 Sawyer D10/106
D. 321,329 11/1991 Barnett et al. D10/104
D. 329,620 9/1992 Salazar D10/106

FIG. 5 is a top plan view thereof, with the broken line showing for illustrative purposes only and forming no part of the claimed design; and,

FIG. 6 is a bottom plan view thereof.




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6

