



US00D347439S

United States Patent [19]

[11] Patent Number: Des. 347,439

Vananderoye

[45] Date of Patent: ** May 31, 1994

[54] RECEIVER FOR INFRARED LANGUAGE DISTRIBUTION SYSTEM

[56] References Cited

U.S. PATENT DOCUMENTS

[75] Inventor: Dirk J. N. Vananderoye, Eindhoven, Netherlands

- D. 271,491 11/1983 Taylor D14/138
- D. 291,199 8/1987 Watanabe D14/138
- D. 297,009 8/1988 Grambush et al. D14/138
- D. 304,939 12/1989 Sutoh 379/433 X
- D. 315,559 3/1991 Taylor et al. D14/138
- 5,177,784 1/1993 Hu et al. 379/433

[73] Assignee: U.S. Philips Corporation, New York, N.Y.

Primary Examiner—Melvin B. Feifer
Assistant Examiner—Richelle Shelton
Attorney, Agent, or Firm—Jack E. Haken

[**] Term: 14 Years

[57] CLAIM

[21] Appl. No.: 864,006

The ornamental design for a receiver for infrared language distribution system, as shown.


[22] Filed: Apr. 6, 1992

DESCRIPTION

[30] Foreign Application Priority Data

- Nov. 21, 1991 [XH] Hague DM/021.191
- [52] U.S. Cl. D14/299
- [58] Field of Search 379/432, 433; 455/89, 455/90, 347; D14/299, 142, 143, 138, 248; D10/104, 106, 116

FIG. 1 is a front, top, left side perspective view showing our new design;
FIG. 2 is a left side elevational view thereof;
FIG. 3 is a right side elevational view thereof;
FIG. 4 is a front elevational view thereof;
FIG. 5 is a rear elevational view thereof;
FIG. 6 is a top plan view thereof; and,
FIG. 7 is a bottom plan view thereof.






FIG. 1




FIG. 2



FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7