



US00D347440S

United States Patent [19]
Holznagel

[11] **Patent Number: Des. 347,440**
[45] **Date of Patent: ** May 31, 1994**

[54] **COMBINED PERISCOPE AND FLASHLIGHT**
[76] **Inventor: Melvin A. Holznagel, 18638 SW. Holznagel Rd., Sherwood, Oreg. 97140**
[**] **Term: 14 Years**
[21] **Appl. No.: 927,375**
[22] **Filed: Aug. 10, 1992**
[52] **U.S. Cl. D16/130**
[58] **Field of Search 359/402, 403, 406, 429; D16/130-136**


[56] **References Cited**
U.S. PATENT DOCUMENTS
689,220 12/1901 Parrish 359/503
807,230 12/1905 Zubli 359/872
1,156,782 10/1915 Jenkins 138/106
1,451,096 4/1923 Hagen 362/157
2,968,208 1/1961 Shaw 359/406
4,062,623 12/1977 Suzuki et al. 359/209

4,887,893 12/1989 Dahlgren 359/402
FOREIGN PATENT DOCUMENTS
1212741 3/1966 Fed. Rep. of Germany 359/402
0112784 1/1918 United Kingdom 359/406

Primary Examiner—Cathy Anne MacCormac
Attorney, Agent, or Firm—Kolisch Hartwell Dickinson McCormack & Heuser

[57] **CLAIM**
The ornamental design for a combined periscope and flashlight, as shown and described.

DESCRIPTION
FIG. 1 is a top plan view of a combined periscope and flashlight showing my new design;
FIG. 2 is a right elevation thereof;
FIG. 3 is a bottom view thereof;
FIG. 4 is a left elevation thereof;
FIG. 5 is a front elevation thereof;
FIG. 6 is a rear elevation thereof; and,
FIG. 7 is an isometric view thereof.






FIG.1




FIG.2




FIG.3




FIG.4




FIG.5




FIG.6




FIG. 7