

US00D347450S

United States Patent [19]

Nagata et al.

[11] Patent Number: Des. 347,450

[45] Date of Patent: ** May 31, 1994

[54]	HAND-HELD ELECTRONIC GAME MACHINE		
[75]	Inventors:	Hideo Nagata; Shin Kojo, both of Kyoto, Japan	
[73]	Assignee:	Nintendo Co., Ltd., Japan	
[**]	Term:	14 Years	
[21]	Appl. No.:	2,369	
[52]	Filed: Dec. 10, 1992 U.S. Cl		
[56]	U.S. I	References Cited PATENT DOCUMENTS	

D 275 071	10/1004	Walas: D01/12
D. 275,971	10/1984	Yokoi D21/13
D. 280,746	9/1985	Yokoi
D. 318,884	8/1991	Kojo
D. 325,225	4/1992	Adhida
D. 329,470	9/1992	Kaneko
D . 331,606	12/1992	Woo
D. 334,218	3/1993	Lee
4,890,832	1/1990	Komaki
4,969,647	10/1990	Mical et al 273/433 X
5,046,739	9/1991	Reichow 273/148 B
5,091,832	2/1992	Tortola et al
5,095,798	3/1992	Okada et al
5,134,391	7/1992	Okada .

OTHER PUBLICATIONS

Playthings, Feb. 1981, p. 168, Electronic Boxing. Sears 1980 Cat p. 669, as shown.

Primary Examiner—Prabhakar G. Deshmukh Attorney, Agent, or Firm—Nixon & Vanderhye

[57] CLAIM

The ornamental design for a hand-held electronic game machine, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a hand-held elec-

tronic game machine of a first embodiment showing our new design;

FIG. 2 is a rear perspective view of the first embodiment;

FIG. 3 is a top plan view of the first embodiment;

FIG. 4 is a bottom plan view of the first embodiment;

FIG. 5 is a front view of the first embodiment;

FIG. 6 is a rear view of the first embodiment;

FIG. 7 is a right side view of the first embodiment;

FIG. 8 is a left side view of the first embodiment;

FIG. 9 is a front perspective view of a second embodiment;

FIG. 10 is a rear perspective view of the second embodiment;

FIG. 11 is a top plan view of the second embodiment; FIG. 12 is a bottom plan view of the second embodi-

ment; FIG. 13 is a front view of the second embodiment;

FIG. 14 is a rear view of the second embodiment;

FIG. 15 is a right side view of the second embodiment;

FIG. 16 is a left side view of the second embodiment;

FIG. 17 is a front perspective view of a third embodiment;

FIG. 18 is a rear perspective view of the third embodiment;

FIG. 19 is a top plan view of the third embodiment;

FIG. 20 is a bottom plan view of the third embodiment;

FIG. 21 is a front view of the third embodiment;

FIG. 22 is a rear view of the third embodiment;

FIG. 23 is a right side view of the third embodiment;

FIG. 24 is a left side view of the third embodiment;

FIG. 25 is a front perspective view of a fourth embodiment;

FIG. 26 is a rear perspective view of the fourth embodiment;

FIG. 27 is a top plan view of the fourth embodiment;

FIG. 28 is a bottom plan view of the fourth embodiment;


FIG. 29 is a front view of the fourth embodiment;

FIG. 30 is a rear view of the fourth embodiment;

FIG. 31 is a right side view of the fourth embodiment; and,

FIG. 32 is a left side view of the fourth embodiment.








FIG. 3






FIG. 4



F1G. 5



F1G. 6




FIG. 7






FIG. 8








FIG. 11




FIG. 12




FIG. 13




FIG. 14








FIG. 15




F1G. 16









F1G. 19




F1G. 20




F1G. 21




F1G. 22





F1G. 23



F1G. 24








F16. 27

May 31, 1994



F1G. 28







FIG. 29



F1G. 30



F1G. 31



F1G. 32

