



US00D347488S

United States Patent [19]

[11] Patent Number: **Des. 347,488**

Kramer

[45] Date of Patent: **** May 31, 1994**

[54] MULTI-SHADE ARC BOOM LAMP

DESCRIPTION

[76] Inventor: **Barry L. Kramer**, 6180 S. St. Andrews Pl., Los Angeles, Calif. 90047

[**] Term: **14 Years**

[21] Appl. No.: **902,058**

[22] Filed: **Jun. 22, 1992**

[52] U.S. Cl. **D26/102; D26/107**

[58] Field of Search **362/410-414, 362/267, 285, 418, 427; D26/93, 102-112, 63, 65, 128-136**

[56] References Cited

U.S. PATENT DOCUMENTS

- D. 310,728 9/1990 Lu D26/65
- D. 321,405 11/1991 Shwisha D26/65
- D. 339,206 9/1993 Kramer D26/102

OTHER PUBLICATIONS


- Best catalog, 1988/89, p. 165, Arc Floor Lamp #14.
- Hammacher Schlemmer, Holiday Catalog ©1990, p. 68, Halogen Desk Lamp.
- Home Lighting & Accessories, Jul. 1989, p. 109, Arc Lamp.
- Home Lighting & Accessories, Oct. 1989, p. 63, ceiling lamp left-center.
- Stilnovo Lighting catalog, 1984, p. 17, Track Light Reflector #60040/8/9.

Primary Examiner—Susan J. Lucas
Attorney, Agent, or Firm—Timothy T. Tyson

[57] CLAIM

The ornamental design for a multi-shade arc boom lamp, as shown and described.

FIG. 1 is a front elevational view of a multi-shade arc boom lamp, showing my new design;
 FIG. 2 is a right side elevational view, the left side elevational view being a mirror image thereof;
 FIG. 3 is a rear elevational view thereof;
 FIG. 4 is a top plan view thereof;
 FIG. 5 is a bottom plan view thereof;
 FIG. 6 is an enlarged top plan view of a single shade thereof;
 FIG. 7 is an enlarged side elevational view of a single shade thereof;
 FIG. 8 is an enlarged bottom plan view of a single shade thereof;
 FIG. 9 is a front elevational view of a second embodiment thereof;
 FIG. 10 is right side elevational view of FIG. 9, the left side elevational view being the mirror image thereof;
 FIG. 11 is a top plan view of FIG. 9;
 FIG. 12 is a bottom plan view of FIG. 9;
 FIG. 13 is a rear elevational view of FIG. 9;
 FIG. 14 is a front elevational view of a third embodiment thereof;
 FIG. 15 is a right side elevational view of FIG. 14, the left side elevational view being the mirror image thereof;
 FIG. 16 is a rear elevational view of FIG. 14;
 FIG. 17 is a top plan view of FIG. 14;
 FIG. 18 is a bottom plan view of FIG. 14;
 FIG. 19 is an enlarged side elevational view of a single shade of FIG. 14;
 FIG. 20 is an enlarged top plan view of a single shade of FIG. 14;
 FIG. 21 is a bottom plan view of a single shade of FIG. 14;
 FIG. 22 is a front elevational view of a fourth embodiment thereof;
 FIG. 23 is a right side elevational view of FIG. 22, the left side elevational view being the mirror image thereof;
 FIG. 24 is a rear elevational view of FIG. 22;
 FIG. 25 is a top plan view of FIG. 22; and,
 FIG. 26 is a bottom plan view of FIG. 22.








FIG. 6

