

US00D347626S

United States Patent [19]

Kreiner et al.

1] Patent Number: Des. 347,626

[45] Date of Patent: ** Jun. 7, 1994

[54] PORTABLE COMPUTER [75] Inventors: Thomas C. Kreiner, Spring; Thomas Mitchell, Houston; Kevin W. Mundt, Spring, all of Tex. Assignee: [73] Compaq Computer Corporation, Houston, Tex. 14 Years Term: [21] Appl. No.: 774,113 [22] Filed: Oct. 7, 1991 [52] U.S. Cl. D14/106 [58] 340/700, 706; 341/22, 23; 361/390, 394, 380; 364/708, 709.04; D14/100, 101, 106, 113, 115; D18/1, 7, 11, 12

[56] References Cited

U.S. PATENT DOCUMENTS

D. 294,356	2/1988	Papajohn	D14/106
		Walters	
		Myers et al.	
D . 319,222	8/1991	Mizusugi et al.	D14/106
		Lerude	
5,157,585	10/1992	Myers D	14/106 X

OTHER PUBLICATIONS

Photograph of IBM Personal System/2 Model P75 486, (1990).

Primary Examiner—Wallace R. Burke
Assistant Examiner—Freda S. Nunn
Attorney, Agent, or Firm—Christopher D. Keirs; L. Jon
Lindsay

[57] CLAIM

The ornamental design for a portable computer, as shown and described.

DESCRIPTION

FIG. 1 is a top, front, left side perspective view of a portable computer showing our new design;

FIG. 2 is a right view thereof;

FIG. 3 is a top, front view thereof;

FIG. 4 is a top, front perspective view thereof, with the computer shown in its stowed position;

FIG. 5 is an enlarged right side view thereof, with the display and keyboard portions of the computer shown in their stowed position;

FIG. 6 is an enlarged right side view thereof, with the display portion of the computer shown in its tilted rearward position;

FIG. 7 is an enlarged right side view thereof, with the display portion of the computer shown in its tilted forward position;

FIG. 8 is a top rear perspective view thereof;

FIG. 9 is a top rear perspective view thereof with the handle in its carrying position;

FIG. 10 is an enlarged left side view thereof, with the display and keyboard portions of the computer shown in their stowed position;


FIG. 11 is an enlarged left side view thereof, with the display portion of the computer shown in its tilted rearward position;


FIG. 12 is an enlarged left side view thereof, with the display portion of the computer shown in its tilted forward position;


FIG. 13 is a top view thereof;

FIG. 14 is a bottom view thereof, with a foot portion shown in its stowed position; and,

FIG. 15 is a bottom view thereof, with a foot portion shown in its deployed position.














FIG.4




F1G.13

















FIG.8














FIG.14

FIGURE 1