



US00D347693S

United States Patent [19]

[11] Patent Number: **Des. 347,693**

Dancyger

[45] Date of Patent: **** Jun. 7, 1994**

[54] **COMBINED WRIST AND HAND SUPPORT**

[76] Inventor: **Michael Dancyger**, 811 W. 58th St., Los Angeles, Calif. 90037

[**] Term: **14 Years**

[21] Appl. No.: **939,354**

[22] Filed: **Sep. 1, 1992**

[52] U.S. Cl. **D24/190**

[58] Field of Search 602/1, 5, 6, 20, 21; **D24/190**

[56] **References Cited**

U.S. PATENT DOCUMENTS

- 4,441,490 4/1984 Nirschl 602/21
- 4,584,993 4/1986 Nelson D24/190 X
- 5,160,314 11/1992 Peters 602/21

Primary Examiner—Stella Reid

Attorney, Agent, or Firm—Andra M. Vaccaro

[57] **CLAIM**

The ornamental design for a combined wrist and hand support, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of the preferred embodiment of a combined wrist and hand support; FIG. 2 is a top plan view of the design of a combined wrist and hand support shown in FIG. 1;

FIG. 3 is a bottom plan view of the design of a combined wrist and hand support shown in FIG. 1; FIG. 4 is a rear elevational view of the design of a combined wrist and hand support shown in FIG. 1; FIG. 5 is a right side elevational view of the design of a combined wrist and hand support shown in FIG. 1; FIG. 6 is a left side elevational view of the design of a combined wrist and hand support shown in FIG. 1; FIG. 7 is a partially fragmented front elevational view of the design of a combined wrist and hand support shown in FIG. 1; FIG. 8 is a front elevational view of an alternate embodiment of a combined wrist and hand support; FIG. 9 is a top plan view of the alternate embodiment shown in FIG. 8 of a combined wrist and hand support; FIG. 10 is a right side elevational view of the alternate embodiment shown in FIG. 8 of a combined wrist and hand support; FIG. 11 is a rear elevational view of the alternate embodiment shown in FIG. 8 of a combined wrist and hand support; FIG. 12 is a bottom plan view of the alternate embodiment shown in FIG. 8 of a combined wrist and hand support; FIG. 13 is a left side elevational view of the alternate embodiment shown in FIG. 8 of a combined wrist and hand support; and, FIG. 14 is a partially fragmented front elevational view of the alternate embodiment shown in FIG. 8 of a combined wrist and hand support.




FIG. 1




FIG. 2



FIG. 3




FIG. 5



FIG. 6




FIG. 9




FIG. 8

FIG. 10






FIG. 13




FIG. 11



FIG. 12




FIG. 14