



US00D347798S

United States Patent [19]

[11] Patent Number: Des. 347,798

Tindoll

[45] Date of Patent: ** Jun. 14, 1994

[54] **BRICK LAYING GUIDE**

[76] Inventor: Avalon G. Tindoll, Rte. 4 Box 222A, Tupelo, Miss. 38801

[**] Term: 14 Years

[21] Appl. No.: 4,200

[22] Filed: Jan. 29, 1993

[52] U.S. Cl. D10/65

[58] Field of Search 33/406, 407, 408, 409, 33/413, 518; D10/64, 65

[56] **References Cited**

U.S. PATENT DOCUMENTS

826,776	7/1906	Ferguson	33/407
2,785,467	3/1957	Andersen	33/408
3,119,186	1/1964	Stewart	33/408
4,359,850	11/1982	Sinkes	33/406 X
4,599,804	7/1986	Amos	33/408
4,631,833	12/1986	Moye	33/408

Primary Examiner—Alan P. Douglas
Assistant Examiner—Antoine D. Davis
Attorney, Agent, or Firm—Terry M. Gernstein

[57] **CLAIM**

The ornamental design for a brick laying guide, as shown and described.

DESCRIPTION

FIG. 1 is a front, top and side perspective view of the brick laying guide embodying the design of the present invention;

FIG. 2 is a front elevational view thereof;

FIG. 3 is a rear elevational view thereof;


FIG. 4 is an end elevational view thereof;

FIG. 5 is an end elevational view thereof;

FIG. 6 is a top plan view thereof; and,

FIG. 7 is a bottom plan view thereof.

The cord member has been broken away for ease of illustration.






FIG.1



FIG. 4



FIG. 5

FIG. 2




FIG. 3




FIG. 6




FIG. 7

