



US00D348062S

United States Patent [19]

[11] Patent Number: Des. 348,062

Iseli et al.

[45] Date of Patent: ** Jun. 21, 1994

[54] TELEPHONE WITH A HOLDER

[75] Inventors: **Martin Iseli, Bern; Christine Emmert, Solothurn; Hans-Rudolf Reber, Günsberg, all of Switzerland**

[73] Assignee: **Bang & Olufsen Holding A/S, Struer, Denmark**

[**] Term: **14 Years**

[21] Appl. No.: **9,760**

[22] Filed: **Jun. 21, 1993**

Related U.S. Application Data

[63] Continuation of Ser. No. 775,243, Oct. 10, 1991, abandoned.

[30] Foreign Application Priority Data

Jun. 17, 1991 [DK] Denmark MA06331991
[52] U.S. Cl. **D14/149; D14/148**
[58] Field of Search 379/420, 368, 428, 433, 379/434, 436, 454, 432, 419, 421, 440; D14/140, 138, 141, 142, 148, 149, 150, 151, 240, 241, 248, 251, 253

[56] References Cited

U.S. PATENT DOCUMENTS

D. 275,008	8/1984	Martin	D14/151
D. 279,981	8/1985	Tsukamoto et al.	D14/138
D. 291,692	9/1987	Read et al.	D14/253
D. 297,009	8/1988	Grambosh et al.	D14/138
D. 299,342	1/1989	Buchin	D14/241 X
D. 319,828	9/1991	Thomke	D14/142
D. 332,450	1/1993	Kolinen	D14/151

OTHER PUBLICATIONS

Museum of Modern Art 1987 Christmas Catalog, p. 38, Becker Phone #3079.
The Shelburne Co. Holiday 1983 catalog, Electra Clock Radio Phone, p. 15.
Advertisement—Jydsk Telefon Aktiengeselskab Sletvej 4, Aarhus Denmark (1991).

Primary Examiner—Alan P. Douglas
Assistant Examiner—Jeffrey Asch
Attorney, Agent, or Firm—Darby & Darby

[57] CLAIM

The ornamental design for a telephone with a holder, as shown and described.

DESCRIPTION

FIG. 1 is a top perspective view of a telephone with a holder showing our new design;
FIG. 2 is a front elevational view thereof;
FIG. 3 is a rear elevational view thereof;
FIG. 4 is a side elevational view thereof;
FIG. 5 is a right side elevational view thereof;
FIG. 6 is a top plan view thereof;
FIG. 7 is a bottom plan view thereof;
FIG. 8 is a top perspective view of the receiver;
FIG. 9 is a front elevational view thereof;
FIG. 10 is a side elevational view thereof, the other side being identical;
FIG. 11 is a rear elevational view thereof;
FIG. 12 is a bottom plan view thereof;
FIG. 13 is a top plan view thereof;
FIG. 14 is a top perspective view of the holder; and,
FIG. 15 is a front elevational view thereof.
The phone cord has been shown broken away in FIGS. 1-7 and the receiver and holder have been shown separately in FIGS. 8-15 for convenience of illustration.





FIG.1






FIG.2




FIG.3





FIG. 4

FIG. 5






FIG.6




FIG.7




FIG.8




FIG.9




FIG.10




FIG.11

FIG.12





FIG.13




FIG. 14




FIG.15