



US00D348126S

United States Patent [19]

[11] Patent Number: **Des. 348,126**

Proulx

[45] Date of Patent: **** Jun. 21, 1994**

[54] **FLEXIBLE SCRUBBER GUARD**

4,330,897	5/1982	Tucker et al.	15/246
4,510,643	4/1985	Kitada	15/320
4,903,364	2/1990	Long	15/50

[76] Inventor: **Linda L. Proulx, 405 NW. Brookwood, Hillsboro, Oreg. 97214**

[**] Term: **14 Years**

FOREIGN PATENT DOCUMENTS

1417926 12/1975 United Kingdom .

[21] Appl. No.: **738,273**

Primary Examiner—Ruth McInroy
Attorney, Agent, or Firm—Klarquist Sparkman
Campbell Leigh & Winston

[22] Filed: **Jul. 29, 1991**

[52] U.S. Cl. **D32/25**

[58] Field of Search 15/246, 248.1, 320,
15/49.1, 50.1, 50.3, 52, 52.1, 98, 28-29; D32/1,
19-20, 25

[57] **CLAIM**

The ornamental design for a flexible scrubber guard, as shown and described.

[56] **References Cited**

DESCRIPTION

U.S. PATENT DOCUMENTS

D. 333,711	3/1993	Wilson	D32/19
2,981,966	5/1961	Beffel	15/246
3,010,135	11/1961	Pollnow, Jr.	15/246
3,122,769	3/1964	Doersam	15/246
3,153,251	10/1964	Ohlson	15/50
3,293,678	12/1966	South	15/29
3,516,107	6/1970	Bayless et al.	15/246
3,732,590	5/1973	Horst	15/49.1
3,733,635	5/1973	Carden	15/49.1

FIG. 1 is perspective view of a flexible scrubber guard showing my new design in a fully relaxed position; FIG. 2 is a side view of thereof; FIG. 3 is a top view of thereof; FIG. 4 is an enlarged sectional view taken along line 4-4 of FIG. 1. FIG. 5 is a bottom view thereof; and, FIG. 6 is a top view of the flexible scrubber guard showing an oval shape the guard commonly assumes when in use.




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6

