



US00D348225S

United States Patent [19]

[11] Patent Number: **Des. 348,225**

Stott

[45] Date of Patent: **** Jun. 28, 1994**

[54] **PHOTOSENSITIVE MONITORING DEVICE**

3,702,755 11/1972 Palmer 116/206 X
3,881,873 5/1975 Klowden 116/206 X

[76] Inventor: **Joan J. Stott**, 276 Summit Ave.,
Summit, N.J. 07901

Primary Examiner—Alan P. Douglas
Assistant Examiner—Antoine D. Davis
Attorney, Agent, or Firm—Burgess, Ryan & Wayne

[**] Term: **14 Years**

[21] Appl. No.: **3,876**

[22] Filed: **Jan. 21, 1993**

[57] **CLAIM**

[52] U.S. Cl. **D10/52; D10/54;**
D10/57; D10/81

The ornamental design for a photosensitive monitoring device, as shown and described.

[58] **Field of Search** 116/206, 207, DIG. 41;
374/141, 155, 161, 162, 208, 209, 210; D10/52,
54, 55, 56, 59, 81; D11/117; D19/60, 59, 61, 62


DESCRIPTION

[56] **References Cited**

FIG. 1 is a perspective view showing the photosensitive monitoring device;
FIG. 2 is a front elevational view thereof;
FIG. 3 is a left side elevational view thereof;
FIG. 4 is a right side elevational view thereof;
FIG. 5 is a bottom plan view thereof;
FIG. 6 is a top plan view thereof; and,
FIG. 7 is a rear elevational view thereof.

U.S. PATENT DOCUMENTS

D. 121,675 7/1940 Goldin D11/117
D. 223,313 4/1972 White D11/117 X
D. 245,585 8/1977 Bru D10/56






FIG. 1




FIG. 2




FIG. 3

FIG. 4



FIG. 5



FIG. 6




FIG. 7