

# United States Patent [19]

[75] Inventors: Edward G. Nielsen; Willard G.

Mich.

Mich.

14 Years

Jul. 13, 1992

Vogelaar, both of Grand Rapids;

Philip O. Gerard, Lowell, all of

Laser Alignment, Inc., Grand Rapids,

356/138, 249, 250; 372/9-30; D10/69

## Nielsen et al.

Assignee:

[21] Appl. No.: 912,779

Term:

Filed:

LASER BEACON

[54]

[73]

[52]

[56]

#### US00D348227S

[11] Patent Number: Des. 348,227

[45] Date of Patent: \*\* Jun. 28, 1994

General Construction," Jul. 1973, Grand Rapids, Mich., pp. 2, 9 and 10.

Laser Alignment, "Laser Beacon 5000 Series for Construction and Machine Control," Jan. 1986, Grand Rapids, Mich., pp. 1 and 2.

Laser Alignment, "LB-1 The Quality Laser System at an Economical Price," Jan., 1983, Grand Rapids, Mich., p. 1.

Laser Alignment, "LB-2 Horizontal and Vertical Control," Jan., 1983, Grand Rapids, Mich., pp. 1-4.

Laser Alignment, "LB-4 Dual Grade Laser Beacon," Sep. 1989, Grand Rapids, Mich., pp. 1-3.

Laser Alignment, "Laser Beacon 6025, The World Class Laser," Sep. 1986, Grand Rapids, Mich., pp. 1-3. Laser Alignment. "Laser Beacon 3000 Operation Manual," May, 1978, Grand Rapids, Mich., page cover 2 and 3.

Primary Examiner—Alan P. Douglas
Assistant Examiner—Antoine O. Davis
Attorney, Agent, or Firm—Price, Heneveld, Cooper,
DeWitt & Litton

## References Cited

U.S. Cl. ...... D10/69

#### U.S. PATENT DOCUMENTS

Aldrink et al
Rando et al
Morrow 33/DIG. 21
Markley et al
Cain et al
Ammann
Cain et al
Cain et al
Winckler et al
Marsh.
Borkovitz
Ake.

#### OTHER PUBLICATIONS

"AMA Diode Level DL-150, New Diode Level, with Automatic Adjustment of the Horizontal and Vertical Planes," Dec., 1985, Germany, pp. 1-4.

Laser Alignment, "Laser Beacon Operation Manual," Jul. 1973, Grand Rapids, Mich.

Laser Alignment, "Laser Beacon Operation Manual for

### [57] CLAIM

The ornamental design for the laser beacon, as shown and described.

#### DESCRIPTION

FIG. 1 is a top front right side perspective view of a laser beacon illustrating our design;

FIG. 2 is a top plan view thereof;

FIG. 3 is a bottom plan view thereof;

FIG. 4 is a front elevational view thereof:


FIG. 5 is a right side elevational view thereof;

FIG. 6 is a rear elevational view thereof;


FIG. 7 is a left side elevational view thereof;


FIG. 8 is a top front right side perspective of an alternative embodiment of a laser beacon illustrating our design; and,


FIG. 9 is a top plan view of the embodiment in FIG. 8, the remaining views of the embodiment in FIG. 8 being identical with the embodiment in FIGS. 1-7.




U.S. Patent









June 28, 1994






June 28, 1994



June 28, 1994






FIG. 9