



US00D348229S

United States Patent [19]
Assaly

[11] **Patent Number: Des. 348,229**
[45] **Date of Patent: ** Jun. 28, 1994**

[54] **TERMINAL PORTION OF AN INSERTABLE
PROBE USED FOR INDICATING FUEL
TANK LEVELS**

[76] **Inventor: Jamil Assaly, 885 Jean-Charles
Cantin, Cap Rouge, Quebec, Canada,
G1Y 2W5**

[**] **Term: 14 Years**

[21] **Appl. No.: 836,950**

[22] **Filed: Feb. 19, 1992**

[30] **Foreign Application Priority Data**

Sep. 10, 1991 [CA] Canada 10-09-91-9

[52] **U.S. Cl. D10/103; D10/101;
D10/78; D10/96**

[58] **Field of Search 73/14, 149, 298, 431,
73/866.5; D10/96, 101, 103, 78**

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 215,563 10/1969 MacPhee D10/103
D. 215,564 10/1969 MacPhee D10/103
2,450,142 9/1948 Holicer 73/298
5,048,334 9/1991 Hampton et al. 73/298 X

Primary Examiner—Alan P. Douglas
Assistant Examiner—Antoine D. Davis
Attorney, Agent, or Firm—Robic

[57] **CLAIM**

The ornamental design for a terminal portion of an insertable probe used for indicating fuel tank levels, as shown and described.

DESCRIPTION


FIG. 1 is a perspective view of terminal portion of an insertable probe used for indicating fuel tank levels, showing my new design;

FIG. 2 is a front elevational view thereof;

FIG. 3 is a rear elevational view thereof;

FIG. 4 is a top plan view thereof; and,

FIG. 5 is a side elevational view thereof.






FIG. 1




FIG. 4



FIG. 5




FIG. 2




FIG. 3