



US00D348304S

United States Patent [19]

[11] Patent Number: **Des. 348,304**

Norman, Jr. et al.

[45] Date of Patent: **** Jun. 28, 1994**

[54] **PORTABLE BI-LEVEL, STEP TOPPED FLUID STORAGE TANK**

[75] Inventors: **Eddy Norman, Jr., Springer; Billy S. Brown, Sulphur, both of Okla.**

[73] Assignee: **Spade Leasing, Inc., Springer, Okla.**

[**] Term: **14 Years**

[21] Appl. No.: **898,898**

[22] Filed: **Jun. 15, 1992**

[52] U.S. Cl. **D23/202**

[58] Field of Search 280/163, 830-839; 220/1.5, 2, 4.12, 4.14-4.17, 562-565; D23/200, 202-206; D12/95, 97

4,589,565	5/1986	Spivey	220/71
4,613,053	9/1986	Kimura et al.	220/22
4,874,184	10/1989	Boyer	280/423.1
4,909,156	3/1990	Erickson	220/1.5 X
5,004,269	4/1991	Pelt	280/837
5,058,924	10/1991	Whatley, Jr.	280/837
5,122,025	6/1992	Glomski	220/1.5 X

FOREIGN PATENT DOCUMENTS

2623353	12/1977	Fed. Rep. of Germany .
0831945	5/1981	U.S.S.R. .

Primary Examiner—Wallace R. Burke
Assistant Examiner—M. H. Tung
Attorney, Agent, or Firm—Dougherty, Hessin, Beavers & Gilbert

[56] References Cited

U.S. PATENT DOCUMENTS


D. 136,705	11/1943	Meyer .	
D. 173,304	10/1954	Dalglish	D14/3
D. 193,294	7/1962	Mendez	D14/3
D. 211,723	7/1968	Vroman et al.	D23/202
D. 213,951	4/1969	Wills	D12/10
D. 220,174	3/1971	Holland	D12/10
D. 238,259	12/1975	Sweet et al.	D12/97 X
D. 253,051	10/1979	Pletcher	D23/202 X
D. 256,348	8/1980	Galloway	D12/96
D. 301,326	5/1989	Adams	D12/95
D. 318,033	7/1991	Pelt	D12/95
2,877,858	3/1959	Knight	280/163 X
4,406,471	9/1983	Holloway	280/837

[57] CLAIM

The ornamental design for a portable bi-level, step topped fluid storage tank, as shown and described.

DESCRIPTION

FIG. 1 is a side elevation view of a portable bi-level, step topped fluid storage tank constructed in accordance with, and incorporating, our new design, the opposite side elevation being a mirror image;
FIG. 2 is a top plan view of the portable bi-level, step topped fluid storage tank;
FIG. 3 is a front elevation view of the portable bi-level, step topped fluid storage tank; and,
FIG. 4 is a rear elevation view of the portable bi-level, step topped fluid storage tank of the invention.






FIG. 1




FIG. 2




FIG. 3




FIG. 4