



US00D348304S

# United States Patent [19]

[11] Patent Number: **Des. 348,304**

Norman, Jr. et al.

[45] Date of Patent: **\*\* Jun. 28, 1994**

[54] **PORTABLE BI-LEVEL, STEP TOPPED FLUID STORAGE TANK**

[75] Inventors: **Eddy Norman, Jr., Springer; Billy S. Brown, Sulphur, both of Okla.**

[73] Assignee: **Spade Leasing, Inc., Springer, Okla.**

[\*\*] Term: **14 Years**

[21] Appl. No.: **898,898**

[22] Filed: **Jun. 15, 1992**

[52] U.S. Cl. .... **D23/202**

[58] Field of Search ..... 280/163, 830-839; 220/1.5, 2, 4.12, 4.14-4.17, 562-565; D23/200, 202-206; D12/95, 97

4,589,565	5/1986	Spivey .....	220/71
4,613,053	9/1986	Kimura et al. ....	220/22
4,874,184	10/1989	Boyer .....	280/423.1
4,909,156	3/1990	Erickson .....	220/1.5 X
5,004,269	4/1991	Pelt .....	280/837
5,058,924	10/1991	Whatley, Jr. ....	280/837
5,122,025	6/1992	Glomski .....	220/1.5 X

### FOREIGN PATENT DOCUMENTS

2623353	12/1977	Fed. Rep. of Germany .
0831945	5/1981	U.S.S.R. .

*Primary Examiner*—Wallace R. Burke  
*Assistant Examiner*—M. H. Tung  
*Attorney, Agent, or Firm*—Dougherty, Hessin, Beavers & Gilbert

### [56] References Cited

#### U.S. PATENT DOCUMENTS


D. 136,705	11/1943	Meyer .	
D. 173,304	10/1954	Dalglish .....	D14/3
D. 193,294	7/1962	Mendez .....	D14/3
D. 211,723	7/1968	Vroman et al. ....	D23/202
D. 213,951	4/1969	Wills .....	D12/10
D. 220,174	3/1971	Holland .....	D12/10
D. 238,259	12/1975	Sweet et al. ....	D12/97 X
D. 253,051	10/1979	Pletcher .....	D23/202 X
D. 256,348	8/1980	Galloway .....	D12/96
D. 301,326	5/1989	Adams .....	D12/95
D. 318,033	7/1991	Pelt .....	D12/95
2,877,858	3/1959	Knight .....	280/163 X
4,406,471	9/1983	Holloway .....	280/837

### [57] CLAIM

The ornamental design for a portable bi-level, step topped fluid storage tank, as shown and described.

### DESCRIPTION

FIG. 1 is a side elevation view of a portable bi-level, step topped fluid storage tank constructed in accordance with, and incorporating, our new design, the opposite side elevation being a mirror image;  
FIG. 2 is a top plan view of the portable bi-level, step topped fluid storage tank;  
FIG. 3 is a front elevation view of the portable bi-level, step topped fluid storage tank; and,  
FIG. 4 is a rear elevation view of the portable bi-level, step topped fluid storage tank of the invention.






FIG. 1




FIG. 2




FIG. 3




FIG. 4