



US00D348319S

# United States Patent [19]

[11] Patent Number: **Des. 348,319**

Lewis

[45] Date of Patent: **\*\* Jun. 28, 1994**

[54] FLASHLIGHT

4,970,631 11/1990 Marshall .

[76] Inventor: **Daniel M. Lewis**, 602 E. Washington St., Casey, Ill. 62420

*Primary Examiner*—Wallace R. Burke  
*Assistant Examiner*—Marcus Jackson  
*Attorney, Agent, or Firm*—Terry M. Gernstein

[\*\*] Term: **14 Years**

[57] **CLAIM**

[21] Appl. No.: **937,670**

The ornamental design for a flashlight, as shown and described.

[22] Filed: **Sep. 1, 1992**

[52] U.S. Cl. .... **D26/41**

[58] Field of Search ..... 362/157, 158, 183, 184, 362/185, 186, 188, 189, 190, 191, 196, 197, 198, 200, 202, 205, 206, 208; D26/37-50

### DESCRIPTION

[56] **References Cited**

#### U.S. PATENT DOCUMENTS

D. 323,902	2/1992	Garner et al. ....	D26/37
D. 325,644	4/1992	Yuen .....	D26/38
1,688,179	10/1928	Essman .....	D26/37
3,252,235	5/1966	Goessling et al. ....	362/191
3,798,439	3/1974	Land et al. ....	362/196
4,967,323	10/1990	Johnson .	

FIG. 1 is a front, top and side perspective view of the flashlight embodying the design of the present invention;

FIG. 2 is a front elevational view thereof, with the hanging feature shown in an alternate position;


FIG. 3 is a rear elevational view thereof;

FIG. 4 is a bottom plan view thereof;

FIG. 5 is a top plan view thereof;

FIG. 6 is a side elevational view thereof; and,

FIG. 7 is a side opposite to the FIG. 6 view thereof with the flashlight being inverted from the FIG. 6 orientation.






FIG. 1.

FIG. 2.




FIG. 7.




FIG. 3.




FIG. 6.




FIG. 4.




FIG. 5.

