



US00D348345S

United States Patent [19]

Yoshikawa

[11] Patent Number: **Des. 348,345**

[45] Date of Patent: **** Jun. 28, 1994**

[54] **BASKETS**

[75] Inventor: **Toshimichi Yoshikawa, Kita Katsuragi, Japan**

[73] Assignee: **Kabushiki Kaisha Yoshikawa Kuni Kogyosho, Nara, Japan**

[**] Term: **14 Years**

[21] Appl. No.: **935,750**

[22] Filed: **Aug. 27, 1992**

[30] **Foreign Application Priority Data**

May 15, 1992 [JP] Japan 4-14214
May 15, 1992 [JP] Japan 4-14215

[52] U.S. Cl. **D3/307**

[58] Field of Search D6/462, 465; 206/503, 206/203, 513, 518, 505, 506, 557, 44 K, 44 R; D9/424, 418; 220/485, 486, 494, 495, 553, 554, 555, 908, 675, 94 R; 229/914; 217/122-125; D34/40-46, 1, 4, 6, 17, 21; D32/36, 37, 53, 55; D11/143, 152, 155

[56] **References Cited**

U.S. PATENT DOCUMENTS

- Re. 30,875 3/1982 Anderson 220/908 X
- D. 292,634 11/1987 Chabot D34/43
- D. 300,488 4/1989 Yoshikawa D6/465
- D. 301,076 5/1989 Yoshikawa D34/21
- D. 301,786 6/1989 Yoshikawa D34/1
- D. 302,066 7/1989 Yoshikawa D34/40
- D. 302,067 7/1989 Yoshikawa D34/40
- D. 302,069 7/1989 Yoshikawa D34/40
- D. 303,444 9/1989 Yoshikawa D34/21
- D. 304,252 10/1989 Ferguson D32/37
- D. 305,174 12/1989 Yoshikawa D34/40
- D. 305,271 12/1989 Yoshikawa D34/40
- D. 305,273 12/1989 Yoshikawa D34/42
- D. 305,274 12/1989 Yoshikawa D34/40
- D. 305,467 1/1990 Dagge D32/53
- D. 305,470 1/1990 Yoshikawa D34/40
- D. 305,471 1/1990 Yoshikawa D34/40

- D. 305,472 1/1990 Yoshikawa D34/42
- D. 305,473 1/1990 Yoshikawa D34/42
- D. 307,348 4/1990 Yoshikawa D34/40
- D. 330,964 11/1992 Hampshire D34/44
- 3,015,412 1/1962 Klages D32/53 X
- 3,047,185 7/1962 Lewis D34/1 X
- 3,861,581 1/1975 Sellors 229/117
- 4,770,300 9/1988 Klein 206/506

OTHER PUBLICATIONS

Skalny Quality Baskets, Jan. 1966, p. 15, Item #164.

Primary Examiner—Prabhakar G. Deshmukh
Attorney, Agent, or Firm—Stevens, Davis, Miller & Mosher

[57] **CLAIM**

The ornamental design for baskets, as shown and described.

DESCRIPTION

FIG. 1 is a front, top and left-side perspective view of a basket showing one embodiment according to my new design;

FIG. 2 is a front elevational view;

FIG. 3 is a rear elevational view;

FIG. 4 is a right side elevational view; the opposite undisclosed side is a mirror image;

FIG. 5 is a top plan view;

FIG. 6 is a bottom plan view thereof;

FIG. 7 is a front, top and left-side perspective view of a basket showing another embodiment according to my new design;

FIG. 8 is a front elevational view;

FIG. 9 is a rear elevational view;

FIG. 10 is a right side elevational view; the opposite undisclosed side is a mirror image;

FIG. 11 is a top plan view;

FIG. 12 is a bottom plan view thereof;

FIG. 13 is a rear, top and right side perspective view of FIG. 1 embodiment; and,

FIG. 14 is a rear, top and right side perspective view of FIG. 7 embodiment.




FIG. 1




FIG. 2




FIG.3




FIG.4




FIG.5




FIG.6



FIG.7




FIG.8




FIG.9




FIG.10




FIG.11





FIG.12






FIG. 13




FIG. 14