



US00D348386S

United States Patent [19] Cogburn

[11] Patent Number: **Des. 348,386**
[45] Date of Patent: **** Jul. 5, 1994**

- [54] **COMBINED HANGER AND PULLEY FOR CORD**
- [76] Inventor: **Denver L. Cogburn, R.R. 1, Box 2880, Wister, Okla. 74966**
- [**] Term: **14 Years**
- [21] Appl. No.: **889,094**
- [22] Filed: **May 27, 1992**
- [52] U.S. Cl. **D8/373; D8/367**
- [58] Field of Search **D8/367, 373, 360; 248/301, 304, 493; D6/323**

- [56] **References Cited**
- U.S. PATENT DOCUMENTS**
- D. 339,058 9/1993 Greenhut D8/367
- 822,048 5/1906 Horinko 248/493
- 969,195 9/1910 Rothstein 248/493
- 4,026,510 5/1977 Holmes 248/493

Primary Examiner—Wallace R. Burke
Assistant Examiner—H. Baynham


Attorney, Agent, or Firm—Head & Johnson

[57] CLAIM

The ornamental design for a combined hanger and pully for a cord, as shown and described.

DESCRIPTION

FIG. 1 is a left side elevational view of a combined hanger and pulley for a cord showing my new design; FIG. 2 is a front view thereof; FIG. 3 is a rear view thereof; FIG. 4 is a top plan view thereof; FIG. 5 is a bottom plan view thereof; FIG. 6 is a left side elevational view of an alternate embodiment of my new design; FIG. 7 is a front view thereof; FIG. 8 is a rear view thereof; FIG. 9 is a top plan view thereof; FIG. 10 is a bottom plan view thereof; FIG. 11 is a perspective view of the first embodiment; and FIG. 12 is a perspective view of the alternate embodiment.






Fig. 1




Fig. 2




Fig. 3




Fig. 4



Fig. 5




Fig. 11




Fig. 6




Fig. 7




Fig. 8




Fig. 9




Fig. 10




Fig. 12