



US00D348410S

United States Patent [19]

Adams et al.

[11] Patent Number: Des. 348,410

[45] Date of Patent: ** Jul. 5, 1994

[54] COMBINED TRANSMITTER AND
RECEIVER FOR LOCATING LOST REMOTE
CONTROL UNITS

[76] Inventors: Andre Adams; Griffin Bryant, both of
2515 W. 25th St., Jacksonville, Fla.
32209

[**] Term: 14 Years

[21] Appl. No.: 9,303

[22] Filed: Jun. 10, 1993

[52] U.S. Cl. D10/104

[58] Field of Search 340/540, 571, 572, 573,
340/548; D10/104, 106, 121

[56] References Cited

U.S. PATENT DOCUMENTS

D. 316,528	4/1991	Wilson, Jr.	D10/106
D. 339,308	9/1993	Knuppel	D10/106
D. 339,757	9/1993	Feeney	D10/106
3,230,520	1/1966	Zurie	D10/106

4,770,114 9/1988 Malone .
4,856,658 8/1989 Novak .
4,949,230 8/1990 Burmeister .

Primary Examiner—Wallace R. Burke

Assistant Examiner—Marcus Jackson


Attorney, Agent, or Firm—Terry M. Gernstein


[57] CLAIM

The ornamental design for a combined transmitter and receiver for locating lost remote control units, as shown and described.

DESCRIPTION

FIG. 1 is a exploded perspective view of a combined transmitter and receiver for locating lost remote control units showing our new design;
FIG. 2 is a front elevational view thereof;
FIG. 3 is a rear elevational view thereof;
FIG. 4 is a side elevational view thereof, the side opposite being a mirror image of the side shown in FIG. 4;
FIG. 5 is a top plan view thereof; and,
FIG. 6 is a bottom plan view thereof.








FIG. 2




FIG. 3

