



US00D348436S

# United States Patent [19]

Brossardt et al.

[11] Patent Number: Des. 348,436

[45] Date of Patent: \*\* Jul. 5, 1994

[54] HOUSING FOR A COMMAND PANEL SYSTEM USED TO MONITOR AND CONTROL WORK PROCESSES WITHIN A DESIGNATED AREA

[75] Inventors: Ansgar Brossardt, Krailling; Norbert Muller, Dietzholztal-Ewersbach; Udo Munch, Sinn; Jurgen Zachrai, Dillenburg, all of Fed. Rep. of Germany

[73] Assignee: Rittal-Werk Rudolf Loh GmbH & Co. KG, Fed. Rep. of Germany

[\*\*] Term: 14 Years

[21] Appl. No.: 735,537

[22] Filed: Jul. 23, 1991

[30] Foreign Application Priority Data

Jan. 25, 1991 [DE] Fed. Rep. of Germany ..... M 91 00 478.0

[52] U.S. Cl. .... D14/100

[58] Field of Search ..... 312/242; 206/214; 361/390-395; D14/100, 101, 103, 104, 105, 106, 107; D13/162, 184, 199; D10/104

[56] References Cited

## U.S. PATENT DOCUMENTS

D. 215,659 10/1969 Broadus et al. .... D14/106  
D. 266,669 10/1982 Sawada et al. .... D14/105 X  
D. 273,112 3/1984 Sliwowski et al. .... D14/106 X  
D. 283,705 5/1986 Cook et al. .... D13/162  
D. 305,909 2/1990 Feger et al. .... D14/100 X

4,361,755 11/1982 Sidline et al. .... D14/105 X  
5,080,452 1/1992 Tuckman .... D14/100 X

Primary Examiner—Wallace R. Burke

Assistant Examiner—Freda S. Nunn

Attorney, Agent, or Firm—Speckman, Pauley & Fejer

## [57] CLAIM

The ornamental design for a housing for a command panel system used to monitor and control work processes within a designated area, as shown and described.

## DESCRIPTION

FIG. 1 is a top front and right side perspective view of a housing for a command panel system used to monitor and control work processes within a designated area showing my new design;

FIG. 2 is a right side view thereof, in accordance with the embodiment shown in FIG. 1;

FIG. 3 is a left side view thereof, in accordance with the embodiment shown in FIG. 1;



FIG. 4 is a front view thereof, in accordance with the embodiment shown in FIG. 1;

FIG. 5 is a rear view thereof, in accordance with the embodiment shown in FIG. 1;

FIG. 6 is a top view thereof, in accordance with the embodiment shown in FIG. 1;

FIG. 7 is a bottom view thereof, in accordance with the embodiment shown in FIG. 1; and,

FIG. 8 is a left side view, in accordance with a second embodiment, the undisclosed views being similar in appearance to those of the first embodiment, the only difference being the location of the support shown mounted on the top.






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8