



US00D348533S

United States Patent [19]

[11] Patent Number: **Des. 348,533**

Herst et al.

[45] Date of Patent: **** Jul. 5, 1994**

[54] **INDIRECT LIGHTING FIXTURE**

[75] Inventors: **Douglas J. Herst, Ross; Utkan Salman**, Emeryville, both of Calif.

[73] Assignee: **Peerless Lighting Corporation**, Berkeley, Calif.

[**] Term: **14 Years**

[21] Appl. No.: **11,393**

[22] Filed: **Aug. 3, 1993**

Related U.S. Application Data

[60] Continuation-in-part of Ser. No. 260,358, Oct. 20, 1988, Pat. No. Des. 311,967, and a continuation-in-part of Ser. No. 502,663, Apr. 2, 1990, abandoned, and a continuation-in-part of Ser. No. 555,146, Jul. 19, 1990, abandoned, which is a division of Ser. No. 588,971, Sep. 27, 1990, Pat. No. Des. 341,439.

[52] U.S. Cl. **D26/85; D26/76**

[58] Field of Search 362/216, 217, 220, 222, 362/223, 224, 147, 362; D26/72, 74-92

[56] References Cited

U.S. PATENT DOCUMENTS

D. 110,165	6/1938	Arenburg	D26/76 X
D. 131,195	1/1942	Hass	D26/76
D. 136,797	12/1943	Mareck	D26/76
D. 139,669	12/1944	Lippincott	D26/76
D. 140,107	1/1945	Lippincott	D26/76
D. 185,410	6/1959	Bodian et al.	D26/76
D. 192,607	4/1962	Cooke	D26/76
D. 208,572	9/1967	Wakefield	D26/76
D. 311,967	11/1990	Herst et al.	D26/76 X
2,631,225	3/1953	Gadomski	D26/78 X
2,770,717	11/1956	Schwartz et al.	362/222
4,493,013	1/1985	Hawkins	362/362 X
4,667,275	5/1987	Herst et al.	362/223

OTHER PUBLICATIONS

Architectural Forum, May-1958, p. 180, Fluorescent Lighting Fixture.

Thomas Industries, Inc. Low Profile Fluorescent Fixture brochure, 1984, p. 1, Ceiling Fixture.

Primary Examiner—Susan J. Lucas
Attorney, Agent, or Firm—Donald L. Beeson

[57] CLAIM

The ornamental design for an indirect lighting fixture, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of an indirect lighting fixture showing our new design;

FIG. 2 is a right side elevational view thereof on an enlarged scale, the left side being a mirror image thereof;

FIG. 3 is a front elevational view thereof, the rear elevational view being a mirror image thereof;

FIG. 4 is a bottom plan view thereof;

FIG. 5 is a top plan view thereof;

FIG. 6 is a front perspective view of a second embodiment of our new design;

FIG. 7 is a right side elevational view thereof on an enlarged scale, the left side being a mirror image thereof;

FIG. 8 is a front elevational view thereof, the rear elevational view being a mirror image thereof;

FIG. 9 is a bottom plan view thereof;

FIG. 10 is a top plan view thereof;

FIG. 11 is a front perspective view of a third embodiment of our new design;




FIG. 12 is a right side elevational view thereof on an enlarged scale, the left side being a mirror image thereof;

FIG. 13 is a front elevational view thereof, the rear elevational view being a mirror image thereof;

FIG. 14 is a bottom plan view thereof; and,

FIG. 15 is a top plan view thereof.

The broken line showing of lamps in the top plan views of the illustrated embodiments of the invention is for illustrative purposes only and forms no part of the claimed design.






FIG._1




FIG._5




FIG. 2




FIG. 3




FIG. 4




FIG._6




FIG._10




FIG. 7




FIG. 8




FIG. 9




FIG. 11




FIG. 15




FIG. 12




FIG. 13




FIG. 14