



US00D348542S

United States Patent [19]

[11] Patent Number: **Des. 348,542**

Cannella

[45] Date of Patent: **** Jul. 5, 1994**

[54] **CURLING IRON HOLDER**

[75] Inventor: **John J. Cannella**, 126 N. Salem St., Raleigh, N.C. 27502

[73] Assignees: **John Cannella; Sandra Cannella**, both of Apex, N.C.

[**] Term: **14 Years**

[21] Appl. No.: **817,742**

[22] Filed: **Jan. 7, 1992**

[52] U.S. Cl. **D28/38; D3/299; D28/73**

[58] Field of Search **D3/11, 20, 30.1, 34, D3/100, 105, 106, 79; 150/154, 161; 206/373; D28/38, 73**

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 266,205	9/1982	Berman	D3/79	X
D. 331,318	12/1992	Abel et al.	D3/79	
4,267,923	5/1981	Baratelli et al.	206/5	
4,570,792	2/1986	Conway	206/372	
4,760,920	8/1988	Thomsen	150/154	X

FOREIGN PATENT DOCUMENTS

0255615 7/1926 United Kingdom 150/147

OTHER PUBLICATIONS

Modern Packaging Encyclopedia, 1970 p. 190, left, bag indicated by arrow.

"Hong Kong Enterprise" Oct. 1990, p. 646 cosmetic bag on lower left.

Christmas 1991 catalog, Sharon Luggage and Gifts.

Cool-It™ advertising flyer, undated.
Caddy™ advertising flyer, undated.

Primary Examiner—Bernard Ansher
Assistant Examiner—C. Tuttle
Attorney, Agent, or Firm—Olive & Olive

[57] **CLAIM**

The ornamental design for a curling iron holder, as shown and described.

DESCRIPTION

FIG. 1 is a top plan view of a curling iron holder showing my new design;

FIG. 2 is a side elevational view thereof, the side opposite being a mirror image of the side shown;

FIG. 3 is a left end elevational view thereof;

FIG. 4 is a right end elevational view thereof;

FIG. 5 is a bottom plan view thereof;

FIG. 6 is a bottom plan view shown in an open condition;

FIG. 7 is a top plan view thereof the broken line showing of the curling iron being for illustrative purposes only, and forming no part of the claimed design;

FIG. 8 is a top plan view of a second embodiment wherein the modification resides in the appearance of the diamond pattern;

FIG. 9 is a top plan view of a third embodiment, wherein the modification resides in the appearance of the bow and decreased proportional width;

FIG. 10 is a side elevational view showing the first disclosed embodiment in use; the broken lines showing of the bar being for illustrative purposes only and forming no part of the claimed design; and,

FIG. 11 is a top plan view of the first and second disclosed embodiments, shown in an open condition.






FIG. 1




FIG. 2



FIG. 3



FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11