



US00D348685S

United States Patent [19]

[11] Patent Number: **Des. 348,685**

Miyazawa

[45] Date of Patent: **** Jul. 12, 1994**

[54] **FILM CARRIER FOR MICROFILM READER PRINTER**

2,959,096	11/1960	Bobeck et al.	355/75
4,289,396	9/1981	Jastrab	353/27 R
4,965,631	10/1990	Ozawa	355/75

[75] Inventor: **Yoshihiro Miyazawa, Tokyo, Japan**

[73] Assignee: **Canon Kabushiki Kaisha, Tokyo, Japan**

[**] Term: **14 Years**

[21] Appl. No.: **2,696**

[22] Filed: **Dec. 16, 1992**

[30] **Foreign Application Priority Data**

Jun. 19, 1992 [JP] Japan 4-18235

[52] U.S. Cl. **D16/236; D18/56**

[58] Field of Search 353/27 R; 355/53, 54, 355/72, 75, 95; D16/223, 235, 236; D14/123; D18/56

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 240,765	7/1976	LeFevre et al.	D16/236
D. 271,208	11/1983	Daggett et al.	D16/235
1,894,005	1/1933	Rose	355/75

OTHER PUBLICATIONS

Modern Office Technology, Jun. 1989, p. 97.

Primary Examiner—Bernard Ansher
Assistant Examiner—Adir Aronovich
Attorney, Agent, or Firm—Fitzpatrick, Cella, Harper & Scinto

[57] CLAIM

The ornamental design for a film carrier for microfilm reader printer, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of a film carrier for microfilm reader printer showing my new design; FIG. 2 is a rear elevational view thereof; FIG. 3 is a top plan view thereof; FIG. 4 is a bottom plan view thereof; FIG. 5 is a left side elevational view thereof; FIG. 6 is a right side elevational view thereof; and, FIG. 7 is a perspective view thereof.




FIG. 1




FIG. 2



FIG. 3




FIG. 4




FIG. 5



FIG. 6



FIG. 7

