



US00D348719S

United States Patent [19]

[11] Patent Number: **Des. 348,719**

Dolan

[45] Date of Patent: **** Jul. 12, 1994**

[54] **SPRINKLER HEAD**

[75] Inventor: **Kevin M. Dolan, Grand Rapids, Mich.**

[73] Assignee: **The Viking Corporation, Hastings, Mich.**

[**] Term: **14 Years**

[21] Appl. No.: **8,013**

[22] Filed: **May 6, 1993**

[52] U.S. Cl. **D23/214**

[58] Field of Search 239/200-206, 239/222.11-222.21, 230-233, 273, 275-276, 288, 288.3, 288.5, 443-444, 456, 550-552, 556-558; 169/37; D23/214-221

4,136,740	2/1986	Groos et al. .	
4,570,720	11/1986	Retzloff et al. .	
4,623,023	11/1986	Retzloff	169/39
4,880,063	11/1989	Leninger et al. .	
4,926,946	5/1990	Polan .	
5,097,906	3/1992	Polan	169/37

FOREIGN PATENT DOCUMENTS

765125 1/1957 United Kingdom .

OTHER PUBLICATIONS

Exhibit A is a product brochure published by Viking Corp. (assignee of the present invention) on or about Jul. 31, 1989, in the United States, which discloses a sprinkler head.

Exhibit B is a product brochure published by Viking Corp. (assignee of the present invention) on or about Sep. 1978, in the United States, which discloses various sprinkler heads.

Primary Examiner—Wallace R. Burke
Assistant Examiner—Robin V. Taylor
Attorney, Agent, or Firm—Price, Heneveld, Cooper, DeWitt & Litton

[56] **References Cited**

U.S. PATENT DOCUMENTS


D. 251,128	2/1979	Groos et al. .	
269,930	1/1883	Harris .	
366,177	7/1887	Mackey .	
417,396	12/1889	Roper .	
716,039	12/1902	Hoffmann	169/37
873,651	12/1907	Asmus .	
995,498	6/1911	Tank .	
998,574	7/1911	Hamilton .	
1,919,235	7/1933	Loepsinger .	
2,004,833	6/1935	Rowley .	
2,528,063	10/1950	Loepsinger	169/38
2,664,956	1/1954	Barz .	
2,697,008	12/1954	Rowley .	
2,724,614	10/1972	Rider .	
3,638,734	2/1972	Ault	D23/214
3,698,483	3/1974	Martin et al. .	
3,797,746	4/1974	Gray et al. .	
3,802,510	12/1975	Johnson .	
3,924,687	1/1979	Groos .	

[57] **CLAIM**

The ornamental design for a sprinkler head, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of the sprinkler head showing the new design;
FIG. 2 is a top plan view thereof;
FIG. 3 is a bottom plan view thereof;
FIG. 4 is a front elevation view thereof, the rear elevational view being a mirror image of the front elevational view; and,
FIG. 5 is a left side elevational thereof, the right side being a mirror image of the left side shown.






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5