



US00D348792S

United States Patent [19] DeGroot

[11] Patent Number: Des. 348,792
[45] Date of Patent: ** Jul. 19, 1994

[54] SEGMENTED INFLATABLE MATTRESS
UNIT FOR USE AS A BODY SUPPORT

4,777,678 10/1988 Moore 5/431
4,824,411 4/1989 McClanahan 5/465

[76] Inventor: Linda J. DeGroot, 18204 W. Spring
Lake Dr., SE., Renton, Wash. 98508

[**] Term: 14 Years

[21] Appl. No.: 558,879

[22] Filed: Jul. 27, 1990

OTHER PUBLICATIONS

"Standard Trade Index of Japan 1988-1989, 32nd Ed.",
The Japan Chamber of commerce and Industry, Tokyo,
Japan, page advertising the BRESKO © Sanken-Mat
© Air-ventilation type bedsore remedy and prevention
apparatus (Brethren Corporation) and the Bio-up ul-
tra-long wave magnetic therapeutic apparatus (Kawa-
saki Electric Industry Co., Ltd.).

Primary Examiner—Wallace R. Burke
Assistant Examiner—Lisa Lichtenstein
Attorney, Agent, or Firm—Christopher John Rudy

Related U.S. Application Data

[63] Continuation-in-part of Ser. No. 557,097, Jul. 25, 1990,
Pat. No. 5,086,529.

[52] U.S. Cl. D6/604

[58] Field of Search D6/604; 5/465; 2/69.5;
297/DIG. 3; D21/236, 237

[57] CLAIM

The ornamental design for a segmented inflatable mat-
tress unit for use as a body support, as shown and de-
scribed.


[56] References Cited

U.S. PATENT DOCUMENTS

717,703	1/1903	McCarty	5/465
1,548,728	8/1925	Milam	5/465 X
2,623,574	12/1952	Damsch	5/455 X
2,807,033	9/1959	McClanahan	5/465 X
2,843,181	7/1958	Paschen	5/441 X
3,747,916	7/1973	Benson	269/322
3,902,759	9/1975	Monteforte et al.	5/165 X
4,054,960	10/1977	Pettit et al.	5/357
4,473,913	10/1984	Ylvisaker	5/435
4,484,781	11/1984	Phelps	5/455 X
4,518,203	5/1985	White	5/465 X
4,603,444	8/1986	Suits	5/431
4,635,306	1/1987	Willey	5/465
4,662,851	5/1987	Foster	5/420
4,723,329	2/1988	Vaccaro	5/455

DESCRIPTION

FIG. 1 is a top and right side perspective view of a segmented inflatable mattress unit for use as a body support, showing my new design;
FIG. 2 is a right side elevational view thereof on a reduced scale, the left side being a mirror image of that shown;
FIG. 3 is a top plan view thereof; and,
FIG. 4 is a bottom plan view thereof.
A characteristic feature of the design resides in the three flexion hinges connecting the four inflatable segments, which are of substantially same lengths, Also, a first, or head, segment has a lengthwise extending hole there-through.






Fig. 1

Fig. 2




Fig. 3




Fig. 4

