US00D348877S

United States Patent [19]

Lichtenberg

[11] **Patent Number: Des. 348,877**

[45] **Date of Patent: ** Jul. 19, 1994**

[54] **MAXIMUM COMFORT KEYBOARD**

[76] Inventor: **Allan C. Lichtenberg,** 399 W. Fullerton Ave., Chicago, Ill. 60614

[**] Term: **14 Years**

[21] Appl. No.: **986**

[22] Filed: **Oct. 30, 1992**

Related U.S. Application Data

[63] Continuation of Ser. No. 925,796, Aug. 4, 1992.

[52] **U.S. Cl.** **D14/115**

[58] **Field of Search** ..... 235/145 A, 145 R; 341/22, 23; 345/168, 169, 172, 173; 400/486, 489, 484, 488, 94, 83, 485, 82, 472; 364/708, 709.04, 709.12; 197/98, 100; D14/100, 101, 106, 115; D18/1, 7, 11, 12

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 302,270	7/1989	Liljenquist	D14/115
D. 323,817	2/1992	Büchin	D14/100
D. 338,665	8/1993	Riley et al.	D14/115
D. 339,800	9/1993	Louis	D14/115
D. 340,445	10/1993	Marquardt et al.	D14/115
D. 341,134	11/1993	Marquardt et al.	D14/115
3,929,216	12/1975	Einbinder	197/100
3,945,482	3/1976	Einbinder	197/100
3,990,565	11/1976	Felton et al.	197/98
4,332,493	6/1982	Einbinder	400/484
4,483,634	11/1984	Frey et al.	400/489
4,509,873	4/1985	Ryan	400/489
4,579,470	4/1986	Casey	400/489
4,597,681	7/1986	Hodges	400/488
4,613,247	9/1986	McGunnigle	400/486
4,661,005	4/1987	Lahr	400/489
4,669,903	6/1987	Herzog et al.	400/489
4,804,279	2/1989	Berkelmans	400/94
4,808,017	2/1989	Sherman et al.	400/83
4,824,268	4/1989	Diernisse	400/486
4,897,649	1/1990	Stucki	341/22
5,017,030	5/1991	Crews	400/485
5,029,260	7/1991	Rollason	235/145 R
5,044,798	9/1991	Roylance et al.	400/472
5,059,048	10/1991	Sirkin	400/486
5,067,834	11/1991	Szmanda et al.	400/489
5,073,050	12/1991	Andrews	400/82
5,119,078	6/1992	Grant	345/172
5,129,747	7/1992	Hutchison	400/489

FOREIGN PATENT DOCUMENTS

2218065	10/1973	Fed. Rep. of Germany .

OTHER PUBLICATIONS

Barnaby J. Feder, "Different Strokes for Computing," *New York Times,* Aug. 9, 1992.

Primary Examiner—Wallace R. Burke
Assistant Examiner—Freda S. Nunn
Attorney, Agent, or Firm—Leydig, Voit & Mayer, Ltd.

[57] **CLAIM**

The ornamental design for a maximum comfort keyboard, as shown and described.

DESCRIPTION

FIG. **1** is a top view of a maximum comfort keyboard showing my new design;
FIG. **2** is a front elevational view of the keyboard shown in FIG. **1;**
FIG. **3** is a rear elevational view of the keyboard shown in FIG. **1;**
FIG. **4** is a side elevational view of the keyboard shown in FIG. **1** the opposite side being a mirror image;
FIG. **5** is a top view showing a second embodiment of the keyboard;
FIG. **6** is a front elevational view of the keyboard shown in FIG. **5;**
FIG. **7** is a rear elevational view of the keyboard shown in FIG. **5;** and,
FIG. **8** is a side elevational view of the keyboard shown in FIG. **5** the opposite side being a mirror image.
The broken lines are shown in the views for illustrative purposes only and form no part of the claimed design.




delete
shift
return
control
option
delete
caps lock
tab
control
shift
control
option

FIG. 1



FIG. 2



FIG. 3



FIG. 4


delete
return
control
option
delete
caps lock
tab
control
shift
control
option
delete

FIG. 5



FIG. 6



FIG. 7



FIG. 8