



US00D348877S

United States Patent [19] Lichtenberg

[11] Patent Number: **Des. 348,877**
[45] Date of Patent: **** Jul. 19, 1994**

[54] **MAXIMUM COMFORT KEYBOARD**
[76] Inventor: **Allan C. Lichtenberg, 399 W. Fullerton Ave., Chicago, Ill. 60614**
[**] Term: **14 Years**
[21] Appl. No.: **986**
[22] Filed: **Oct. 30, 1992**

5,017,030 5/1991 Crews 400/485
5,029,260 7/1991 Rollason 235/145 R
5,044,798 9/1991 Roylance et al. 400/472
5,059,048 10/1991 Sirkin 400/486
5,067,834 11/1991 Szmanda et al. 400/489
5,073,050 12/1991 Andrews 400/82
5,119,078 6/1992 Grant 345/172
5,129,747 7/1992 Hutchison 400/489

FOREIGN PATENT DOCUMENTS

2218065 10/1973 Fed. Rep. of Germany .

Related U.S. Application Data

[63] Continuation of Ser. No. 925,796, Aug. 4, 1992.
[52] U.S. Cl. **D14/115**
[58] Field of Search 235/145 A, 145 R;
341/22, 23; 345/168, 169, 172, 173; 400/486,
489, 484, 488, 94, 83, 485, 82, 472; 364/708,
709.04, 709.12; 197/98, 100; D14/100, 101,
106, 115; D18/1, 7, 11, 12

OTHER PUBLICATIONS

Barnaby J. Feder, "Different Strokes for Computing,"
New York Times, Aug. 9, 1992.

Primary Examiner—Wallace R. Burke
Assistant Examiner—Freda S. Nunn
Attorney, Agent, or Firm—Leydig, Voit & Mayer, Ltd.

[56] References Cited

U.S. PATENT DOCUMENTS


D. 302,270 7/1989 Liljenquist D14/115
D. 323,817 2/1992 Büchin D14/100
D. 338,665 8/1993 Riley et al. D14/115
D. 339,800 9/1993 Louis D14/115
D. 340,445 10/1993 Marquardt et al. D14/115
D. 341,134 11/1993 Marquardt et al. D14/115
3,929,216 12/1975 Einbinder 197/100
3,945,482 3/1976 Einbinder 197/100
3,990,565 11/1976 Felton et al. 197/98
4,332,493 6/1982 Einbinder 400/484
4,483,634 11/1984 Frey et al. 400/489
4,509,873 4/1985 Ryan 400/489
4,579,470 4/1986 Casey 400/489
4,597,681 7/1986 Hodges 400/488
4,613,247 9/1986 McGunnigle 400/486
4,661,005 4/1987 Lahr 400/489
4,669,903 6/1987 Herzog et al. 400/489
4,804,279 2/1989 Berkelmans 400/94
4,808,017 2/1989 Sherman et al. 400/83
4,824,268 4/1989 Diernisse 400/486
4,897,649 1/1990 Stucki 341/22

[57] CLAIM

The ornamental design for a maximum comfort keyboard, as shown and described.

DESCRIPTION

FIG. 1 is a top view of a maximum comfort keyboard showing my new design;
FIG. 2 is a front elevational view of the keyboard shown in FIG. 1;
FIG. 3 is a rear elevational view of the keyboard shown in FIG. 1;
FIG. 4 is a side elevational view of the keyboard shown in FIG. 1 the opposite side being a mirror image;
FIG. 5 is a top view showing a second embodiment of the keyboard;
FIG. 6 is a front elevational view of the keyboard shown in FIG. 5;
FIG. 7 is a rear elevational view of the keyboard shown in FIG. 5; and,
FIG. 8 is a side elevational view of the keyboard shown in FIG. 5 the opposite side being a mirror image.
The broken lines are shown in the views for illustrative purposes only and form no part of the claimed design.






FIG. 1




FIG. 2




FIG. 3



FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8