

#### US00D348895S

# United States Patent [19]

## Ito

[11] Patent Number: Des. 348,895

[45] Date of Patent: \*\* Jul. 19, 1994

# [54] SOUND BAR FOR A PERCUSSION INSTRUMENT

## [75] Inventor: Kenji Ito, Hamamatsu, Japan

## [73] Assignee: Yamaha Corporation, Shizuoka,

Japan

[\*] Notice: The portion of the term of this patent

subsequent to Jun. 28, 2008 has been

disclaimed.

[\*\*] Term: 14 Years

[21] Appl. No.: 923,166

[22] Filed: Jul. 30, 1992

## [30] Foreign Application Priority Data

Feb	. 28, 1992 [JP]	Japan	4-5755
		***************	
[58]	Field of Search	***************************************	84/402-404;
			D17/22, 99

## [56] References Cited

#### U.S. PATENT DOCUMENTS

144,148	10/1873	Schoenhut 84/403
		Cohen
4,411,187	10/1983	Roper et al 84/402
4,649,791	3/1987	Sawada et al 84/402
		Sawada et al 84/402

#### FOREIGN PATENT DOCUMENTS

3807467	9/1989	Fed. Rep. of Germany 84/402
57-120133		<del>-</del>

59-110124 5/1984 Japan . 61-313535 12/1986 Japan .

Primary Examiner—Melvin B. Feiser Assistant Examiner—Adir Aronovich

Attorney, Agent, or Firm-Weingarten, Schurgin,

Gagnebin & Hayes

### [57] CLAIM

The ornamental design for sound bar for a percussion instrument, as shown.

#### **DESCRIPTION**

FIG. 1 is a top plan view of a sound bar for a percussion instrument showing my new design;

FIG. 2 is a front view thereof;

FIG. 3 is a bottom plan view thereof;

FIG. 4 is a left-side view thereof;

FIG. 5 is a right-side view thereof;


FIG. 6 is a rear view thereof;


FIG. 7 is a sectional view thereof taken along line 7—7 of FIG. 2;

FIG. 8 is a sectional view thereof taken along line 8—8 of FIG. 4;

FIG. 9 is a sectional view thereof taken along line 9—9 of FIG. 5; and,

FIG. 10 is a sectional view thereof taken along line 10—10 of FIG. 2.





July 19, 1994




FIG. 7

July 19, 1994




FIG. 8




FIG. 9



FIG. 10

