



US00D348950S

# United States Patent [19]

Herst et al.

[11] Patent Number: Des. 348,950

[45] Date of Patent: \*\* Jul. 19, 1994

## [54] INDIRECT LIGHTING FIXTURE

[75] Inventors: Douglas J. Herst, Ross; Utkan Salman, Emeryville, both of Calif.

[73] Assignee: Peerless Lighting Corporation, Berkeley, Calif.

[\*\*] Term: 14 Years

[21] Appl. No.: 11,386

[22] Filed: Aug. 3, 1993

### Related U.S. Application Data

[60] Division of Ser. No. 588,971, Sep. 27, 1990, Pat. No. Des. 341,439, and a continuation-in-part of Ser. No. 260,358, Oct. 20, 1988, Pat. No. Des. 311,967, and a continuation-in-part of Ser. No. 502,663, Apr. 2, 1990, abandoned, and a continuation-in-part of Ser. No. 555,146, Jul. 19, 1990, abandoned.

[52] U.S. Cl. .... D26/85; D26/76

[58] Field of Search ..... 362/216, 217, 220, 222, 362/223, 224, 147, 362; D26/72, 74-92

### [56] References Cited

#### U.S. PATENT DOCUMENTS

D. 110,165	6/1938	Arenburg	.....	D26/76 X
D. 131,195	1/1942	Hass	.....	D26/76
D. 136,797	12/1943	Mareck	.....	D26/76
D. 139,669	12/1944	Lippincott	.....	D26/76
D. 140,107	1/1945	Lippincott	.....	D26/76
D. 185,410	6/1959	Bodian et al.	.....	D26/76
D. 192,607	4/1962	Cooke	.....	D26/76
D. 208,572	9/1967	Wakefield	.....	D26/76
D. 311,967	11/1990	Herst et al.	.....	D26/76 X
2,631,225	3/1953	Gadomski	.....	D26/78 X
2,770,717	11/1956	Schwartz et al.	.....	362/222
4,493,013	1/1985	Hawkins	.....	362/362 X
4,667,275	5/1987	Herst et al.	.....	362/223

#### OTHER PUBLICATIONS

Architectural Forum, May 1958, p. 180, Fluorescent Lighting Fixture.

Thomas Industries, Inc. Low Profile Fluorescent Fixture brochure, 1984, p. 1, Ceiling Fixture.

Primary Examiner—Susan J. Lucas

Attorney, Agent, or Firm—Donald L. Beeson

### [57] CLAIM

The ornamental design for an indirect lighting fixture, as shown and described.

### DESCRIPTION

FIG. 1 is a front perspective view of an indirect lighting fixture showing our new design;

FIG. 2 is a right side elevational view thereof on an enlarged scale, the left side being a mirror image thereof;

FIG. 3 is a front elevational view thereof, the rear elevational view being a mirror image thereof;

FIG. 4 is a bottom plan view thereof;

FIG. 5 is a top plan view thereof;

FIG. 6 is a front perspective view of a second embodiment of our new design;

FIG. 7 is a right side elevational view thereof on an enlarged scale, the left side being a mirror image thereof;

FIG. 8 is a front elevational view thereof, the rear elevational view being a mirror image thereof;

FIG. 9 is a bottom plan view thereof;

FIG. 10 is a top plan view thereof;

FIG. 11 is a front perspective view of a third embodiment of our new design;


FIG. 12 is a right side elevational view thereof on an enlarged scale, the left side being a mirror image thereof;


FIG. 13 is a front elevational view thereof, the rear elevational view being a mirror image thereof;

FIG. 14 is a bottom plan view thereof; and,


FIG. 15 is a top plan view thereof.

The broken line showing of lamps in the top plan views of the illustrated embodiments of the invention is for illustrative purposes only and forms no part of the claimed design.







**FIG. 1**




**FIG. 5**



**FIG.\_2**




**FIG.\_3**




**FIG.\_4**







**FIG. 6**




**FIG. 10**




**FIG.\_7**




**FIG.\_8**




**FIG.\_9**




**FIG.\_11**




**FIG.\_15**



**FIG.\_12**



**FIG.\_13**



**FIG.\_14**