



US00D349036S

United States Patent [19]

[11] Patent Number: **Des. 349,036**

Egigian

[45] Date of Patent: **** Jul. 26, 1994**

[54] **TRUCK CAP SECURING MOUNT FOR INSERTION IN THE STAKE HOLES IN THE TOP RAIL OF A PICKUP TRUCK**

[75] Inventor: **Donald S. Egigian, Fullerton, Calif.**

[73] Assignee: **CEI, Brea, Calif.**

[**] Term: **14 Years**

[21] Appl. No.: **909,446**

[22] Filed: **Jul. 6, 1992**

[52] U.S. Cl. **D8/349; D8/382; D12/223**

[58] **Field of Search** **D8/356, 349, 354, 382, D8/394, 395; 296/40, 43; 410/110, 118, 129, 156; D12/155**

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 237,775	11/1975	Hitomi	D8/356
4,948,311	8/1990	St. Pierre et al.	296/43
5,051,047	9/1991	Loncaric	410/110

Primary Examiner—James M. Gandy

Attorney, Agent, or Firm—G. Donald Weber, Jr.


[57] **CLAIM**

The ornamental design for a truck cap securing mount

for insertion in the stake holes in the top rail of a pickup truck, as shown and described.

DESCRIPTION

FIG. 1 is an isometric view of a truck cap securing mount for insertion in the stake holes in the top rail of a pickup truck showing my new design; FIG. 2 is a top plan view thereof; FIG. 3 is a bottom plan view thereof; FIG. 4 is an elevation view of either side thereof; FIG. 5 is an elevation view of either end thereof; FIG. 6 is an elevation view of either side of a truck cap securing mount for insertion in the stake holes in the top rail of a pickup truck showing a second embodiment of my new design the sole difference being in the downward shape of the end segments, it being understood that the top, bottom and end thereof are substantially the same as those of the first embodiment shown in FIGS. 2,3 and 5 respectively; FIG. 7 is a top plan view of a truck cap securing mount for insertion in the stake holes in the top rail of a pickup truck showing a third embodiment of my new design; FIG. 8 is a bottom plan view of the embodiment of FIG. 7; FIG. 9 is an elevation view of either side of the embodiment of FIG. 7; and, FIG. 10 is an elevation view of either end of the embodiment of FIG. 7.






FIG. 4




FIG. 6




FIG. 2




FIG. 3




FIG. 5




FIG. 9





FIG. 7

FIG. 8




FIG. 10

