



US00D349161S

United States Patent [19]
Mee

[11] **Patent Number: Des. 349,161**
[45] **Date of Patent: ** Jul. 26, 1994**

[54] **SYNCHRONOUS VARIABLE
COMPRESSION BAG**
[76] **Inventor: John M. Mee, P.O. Box 25896,
Honolulu, Hi. 96825**
[**] **Term: 14 Years**
[21] **Appl. No.: 1,034**
[22] **Filed: Nov. 2, 1992**
[52] **U.S. Cl. D24/169**
[58] **Field of Search 128/24 R, 24.2, 30.2,
128/38, 40; 607/114; D24/165, 169, 200, 206**

4,971,044 11/1990 Dye 128/24 R
5,022,387 6/1991 Hasty 128/24 R X

*Primary Examiner—Stella Reid
Attorney, Agent, or Firm—Hugh E. Smith*

[57] **CLAIM**

The ornamental design for a synchronous variable compression bag, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of the synchronous variable compression bag showing my new design; FIG. 2 is a rear elevational view thereof; FIG. 3 is a left side elevational view thereof; FIG. 4 is a right side elevational view thereof; FIG. 5 is a top plan view thereof; FIG. 6 is a bottom plan view thereof; and, FIG. 7 is an isometric view thereof.

[56] **References Cited**
U.S. PATENT DOCUMENTS
4,320,746 3/1982 Arkans et al. 128/24 R
4,762,121 8/19/88 Shienfeld 128/24 R




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7

