



US00D349286S

United States Patent [19]

[11] Patent Number: **Des. 349,286**

Robertus

[45] Date of Patent: **** Aug. 2, 1994**

[54] **INTERPRETER UNIT FOR CONFERENCE SYSTEM**

[56] **References Cited**

U.S. PATENT DOCUMENTS

[75] Inventor: **Johannes G. Robertus**, Eindhoven, Netherlands

| | | | | |
|------------|---------|-------------|-------|---------|
| D. 218,897 | 10/1970 | Thompson | | D14/226 |
| D. 238,684 | 2/1976 | Walz | | D14/159 |
| D. 243,536 | 3/1977 | van de Poel | | D14/159 |
| D. 269,780 | 7/1983 | Doodson | | D14/159 |
| D. 331,054 | 11/1992 | Brahler | | D14/159 |
| 4,075,426 | 2/1978 | Gould | | 379/167 |
| 4,641,240 | 2/1987 | Boram | | 364/419 |

[73] Assignee: **U.S. Philips Corporation**, New York, N.Y.

Primary Examiner—B. J. Bullock
Attorney, Agent, or Firm—Jack E. Haken

[**] Term: **14 Years**

[57] **CLAIM**

[21] Appl. No.: **1,458**

The ornamental design for an interpreter unit for conference system, as shown.


[22] Filed: **Nov. 13, 1992**

DESCRIPTION

[30] Foreign Application Priority Data

Jun. 10, 1992 [NL] Netherlands DM/023.046
 [52] U.S. Cl. **D14/159; D14/226**
 [58] Field of Search 364/401, 409; 379/167, 379/171, 420, 422, 428, 436, 432; 455/73, 78, 90; D14/124, 137, 159, 226; D18/6

FIG. 1 is a front, right side perspective view showing our new design;
 FIG. 2 is a front elevational view thereof;
 FIG. 3 is a rear elevational view thereof;
 FIG. 4 is a left side elevational view thereof;
 FIG. 5 is a right elevational view thereof;
 FIG. 6 is a top plan view thereof; and,
 FIG. 7 is a bottom plan view thereof.






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7