



US00D349301S

United States Patent [19]

[11] Patent Number: **Des. 349,301**

Mori

[45] Date of Patent: **** Aug. 2, 1994**

[54] PUNCH

[75] Inventor: **Chuzo Mori, Katsushika, Japan**

[73] Assignee: **Carl Jimuki Kabushiki Kaisha, Tokyo, Japan**

[**] Term: **14 Years**

[21] Appl. No.: **934,346**

[22] Filed: **Aug. 25, 1992**

[52] U.S. Cl. **D19/72; D8/98**

[58] Field of Search **D8/98, 306, 300; 83/167, 454, 465, 467, 560, 588, 618, 633, 620; D19/65, 72, 95, 99, 100**

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 256,479	8/1980	Manusch	D19/72
D. 289,776	5/1987	Goertz et al.	D19/72
D. 300,332	3/1989	Mori	D19/72
4,594,927	6/1986	Mori	83/588 X
4,713,995	12/1987	Davi	83/167
4,742,744	5/1988	Lindberg	83/167
5,247,863	9/1993	Cohen	83/167

FOREIGN PATENT DOCUMENTS

726574	11/1987	Japan .
776751	9/1989	Japan .
792925	4/1990	Japan .
874352	4/1993	Japan .

Primary Examiner—Nelson C. Holtje
Assistant Examiner—Martie Thompson
Attorney, Agent, or Firm—Oliff & Berridge

[57] **CLAIM**

The ornamental design for punch, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of a punch showing my new design;
FIG. 2 is a top plan view;
FIG. 3 is a rear elevational view;
FIG. 4 is a right side elevational view;
FIG. 5 is a left side elevational view;
FIG. 6 is a bottom plan view;
FIG. 7 is a top, right front perspective view;
FIG. 8 is a top plan view with the paper guide in an alternate position; and,
FIG. 9 is a right side elevational view thereof with the lever in an alternate position.




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6





FIG. 7






FIG. 8




FIG. 9