



US00D349333S

United States Patent [19]

[11] Patent Number: **Des. 349,333**

King

[45] Date of Patent: **** Aug. 2, 1994**

[54] **HEAT RECOVERY UNIT**

4,381,819	5/1983	Paolino	165/901
4,437,513	3/1984	Castiglioni	165/901
4,475,530	10/1984	Albertson	165/901

[76] Inventor: **Donald King**, 476 Allen Ave., Chillicothe, Ohio 45601

Primary Examiner—Wallace R. Burke
Assistant Examiner—Robin V. Taylor
Attorney, Agent, or Firm—Terry M. Gernstein

[**] Term: **14 Years**

[21] Appl. No.: **726,521**

[57] **CLAIM**

[22] Filed: **Jul. 8, 1991**

The ornamental design for a heat recovery unit, as shown and described.

[52] U.S. Cl. **D23/314; D23/386**

[58] Field of Search 165/154, 901, 902;
D23/323, 386, 314, 328, 330, 387, 388


DESCRIPTION

[56] **References Cited**

U.S. PATENT DOCUMENTS

48,540	7/1865	Edwards	165/154
D. 264,500	5/1982	Beaton	D23/342
D. 287,047	12/1986	Nygren	D23/323
3,334,400	8/1967	Jaeger	165/154
3,913,663	10/1975	Gates	165/154

FIG. 1 is a perspective view of the heat recovery unit embodying the design of the present invention; FIG. 2 is a front elevational view thereof; FIG. 3 is a rear elevational view thereof; FIG. 4 is a side elevational view thereof; FIG. 5 is an opposite side elevational view thereof; FIG. 6 is a top plan view thereof; and, FIG. 7 is a bottom view thereof.






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7