



US00D349405S

**United States Patent** [19]  
**Carroll**

[11] **Patent Number: Des. 349,405**

[45] **Date of Patent: \*\* Aug. 9, 1994**

[54] **HOLDER FOR A PAGER**

[76] **Inventor: Dorothy Carroll, 855 Main Rd., Towaco, N.J. 07082**

[\*\*] **Term: 14 Years**

[21] **Appl. No.: 799,637**

[22] **Filed: Nov. 29, 1991**

[52] **U.S. Cl. .... D3/299; D14/256**

[58] **Field of Search .... D3/106, 77, 100, 79, D3/30.1, 56, 47; 224/252, 253, 269; 150/131, 150, 151, 152, 153; 2/DIG. 6; 379/430; D14/138, 191, 250, 256**

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

D. 145,778	10/1946	Commander	.....	D3/30.1	X
D. 287,305	12/1986	Brown	.....	D3/30.1	X
D. 311,919	11/1990	Klaczak et al.	.....	D3/77	X
D. 320,714	10/1991	Singley	.....	D3/30.1	X
1,600,633	9/1926	Hildebrand	.....	D3/56	X
2,695,646	11/1954	Van Wyk	.....	150/150	
4,896,805	1/1990	Klaczak et al.	.....	224/253	X

*Primary Examiner*—B. J. Bullock

*Assistant Examiner*—Paula Mortimer

*Attorney, Agent, or Firm*—Behr & Adams

[57] **CLAIM**

The ornamental design for a holder for a pager, as shown and described.

**DESCRIPTION**

FIG. 1 is a front elevational view of a holder for a pager showing my new design;

FIG. 2 is a rear elevational view thereof;

FIG. 3 is a right side elevational view thereof, the left side elevational view being a mirror image thereof;

FIG. 4 is a top plan view thereof, the bottom plan view being a mirror image;

FIG. 5 is a front elevational view of a second embodiment of a paging device holder showing my new design;

FIG. 6 is a rear elevational view thereof;

FIG. 7 is a right side elevational view thereof, the left side elevational view being a mirror image;

FIG. 8 is a top plan view thereof, the bottom plan view being a mirror image;

FIG. 9 is a front elevational view of a third embodiment of a holder for a pager showing my new design, the broken lines represent conventional stitching;

FIG. 10 is a rear elevational view thereof;

FIG. 11 is a right side elevational view thereof, the left side elevational view being a mirror image;

FIG. 12 is a bottom plan view thereof;

FIG. 13 is a top plan view thereof;

FIG. 14 is a front elevational view of a fourth embodiment of a holder for a pager showing my new design, the broken lines represent conventional stitching;

FIG. 15 is a right side elevational view thereof, the left side elevational view being a mirror image;

FIG. 16 is a rear elevational view thereof;

FIG. 17 is a top plan view thereof, the bottom plan view being a mirror image;

FIG. 18 is a front elevational view of a fifth embodiment of a holder for a pager showing my new design, the broken lines represent conventional stitching;

FIG. 19 is a rear elevational view thereof;

FIG. 20 is a bottom plan view thereof, the bottom view plan being a mirror image; and,

FIG. 21 is a right side elevational view thereof, the left side elevational view being a mirror image.





FIG. 1




FIG. 3



FIG. 2




FIG. 4



FIG. 8



FIG. 5




FIG. 7



FIG. 6




FIG. 9




FIG. 14




FIG. 12



FIG. 13




FIG. 11




FIG. 10




FIG. 15

FIG. 18




FIG. 21




FIG. 20



FIG. 17



FIG. 19




FIG. 16

