



US00D349447S

United States Patent [19]

[11] Patent Number: **Des. 349,447**

Daniller

[45] Date of Patent: **** Aug. 9, 1994**

[54] **ADJUSTABLE PICTURE HOOK UNIT**

[76] Inventor: **Boruch H. Daniller**, 3906 Galacia Dr., Austin, Tex. 78759

[**] Term: **14 Years**

[21] Appl. No.: **2,995**

[22] Filed: **Dec. 28, 1992**

[52] U.S. Cl. **D8/367**

[58] Field of Search **D8/367, 373; 248/489, 248/493, 496, 544**

[56] **References Cited**

U.S. PATENT DOCUMENTS

| | | | | | |
|------------|---------|------------------|-------|---------|---|
| D. 248,910 | 8/1978 | DeFilippo | | D8/373 | X |
| D. 288,745 | 3/1987 | Fenton | | D8/371 | X |
| 861,142 | 7/1907 | Rynek | | 248/493 | |
| 1,031,898 | 9/1912 | Woodworth | | 248/267 | |
| 1,248,363 | 11/1917 | Malcomson et al. | | 248/489 | |
| 1,456,476 | 5/1923 | Tracy | | 248/493 | |
| 1,637,981 | 8/1927 | Baldwin | | 248/493 | |
| 1,924,864 | 8/1933 | Koehler | | 248/489 | |
| 2,330,373 | 9/1943 | Moore | | 248/489 | |
| 2,464,295 | 3/1949 | Edgar | | 248/489 | |
| 3,074,680 | 1/1963 | Stewart | | 248/489 | X |
| 3,083,427 | 4/1963 | Grenon | | 248/489 | |
| 4,012,023 | 3/1977 | Melanson | | 248/489 | |
| 4,610,419 | 9/1986 | Swanson | | 248/493 | X |
| 5,088,682 | 2/1992 | Gibbs | | 248/544 | X |


Primary Examiner—Wallace R. Burke
Assistant Examiner—Holly Baynham

[57] **CLAIM**

The ornamental design for an adjustable picture hook unit, as shown and described.

DESCRIPTION

FIG. 1 is an exploded perspective view of the adjustable picture hook unit showing my new design;
 FIG. 2 is a perspective view of the rear of the receiving bracket of the adjustable picture hook unit;
 FIG. 3 is the front elevational view of the receiving bracket of the adjustable picture hook unit;
 FIG. 4 is the rear elevational view of the receiving bracket of the adjustable picture hook unit;
 FIG. 5 is a sectional view of the receiving bracket of the adjustable picture hook;
 FIG. 6 is a top view of FIG. 3;
 FIG. 7 is the rear elevational view of the adjustable picture hook unit;
 FIG. 8 is a front elevational view of the adjustable picture hook unit; and,
 FIG. 9 is the side elevational view of the adjustable picture hook unit, the side opposite being a mirror image.
 The broken line showing of structure is for illustrative purposes only and forms no part of the claimed design.






FIG. 1




FIG. 2




FIG. 3




FIG. 4

5




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9