



US00D349662S

United States Patent [19]

[11] Patent Number: **Des. 349,662**

Butcher et al.

[45] Date of Patent: **** Aug. 16, 1994**

[54] **COMBINED TRANSMITTER AND RECEIVER FOR LOCATING LOST REMOTE CONTROL UNITS**

4,291,301	9/1981	Chan	340/571
4,314,240	2/1982	Schnüg	340/571
4,507,653	3/1985	Bayer .	
5,014,040	5/1991	Weaver et al.	340/572
5,126,719	6/1992	DeSorbo	340/571

[76] Inventors: **David L. Butcher; Angela R. Butcher**, both of 321 E. Seventh St., Wellston, Ohio 45692

Primary Examiner—Wallace R. Burke
Assistant Examiner—Marcus Jackson
Attorney, Agent, or Firm—Terry M. Gernstein

[**] Term: **14 Years**

[21] Appl. No.: **4,193**

[57] **CLAIM**

[22] Filed: **Jan. 29, 1993**

The ornamental design for a combined transmitter and receiver for locating lost remote control units, as shown and described.

[52] U.S. Cl. **D10/104**

[58] Field of Search 340/571, 572, 573, 328, 340/689; D10/104, 106, 121; D14/155



DESCRIPTION


[56] **References Cited**



U.S. PATENT DOCUMENTS

D. 273,786	5/1984	Overko	D10/106
D. 273,952	5/1984	Stansbury et al.	D10/106
D. 285,542	9/1986	Tanaka et al.	D10/106
D. 291,888	9/1987	Fong et al.	D10/106
D. 339,300	9/1993	Knuppel	D10/106
3,686,635	8/1972	Millington .	
4,101,873	7/1978	Anderson .	

FIG. 1 is a front, top and side perspective view of the combined transmitter and receiver for locating lost remote control units showing our new design; FIG. 2 is a front elevational view thereof, the rear being a mirror image of the front shown in FIG. 2; FIG. 3 is a side elevational view thereof, the side opposite being a mirror image of the side shown in FIG. 3; FIG. 4 is a top plan view thereof; and, FIG. 5 is a bottom plan view thereof.










FIG. 4




FIG. 5