



US00D349685S

United States Patent [19] Yair

[11] Patent Number: **Des. 349,685**

[45] Date of Patent: **** Aug. 16, 1994**

[54] **ELECTRICAL FITTING PRIMARILY IN THE FORM OF A CONNECTOR**

4,561,682 12/1985 Tisserat D13/133 X
5,082,454 1/1992 Tonkiss et al. 439/312 X
5,112,252 5/1992 Harris 439/610

[75] Inventor: **John Yair, Hagley, England**

FOREIGN PATENT DOCUMENTS

[73] Assignee: **Cliff Electronic Components Limited, Surrey, Great Britain**

90480 10/1983 European Pat. Off. 439/312

[**] Term: **14 Years**

Primary Examiner—Wallace R. Burke

Assistant Examiner—Joel Sincavage

[21] Appl. No.: **3,978**

[57] CLAIM

[22] Filed: **Jan. 22, 1993**

The ornamental design for an electrical fitting primarily in the form of a connector, as shown and described.

[30] Foreign Application Priority Data

DESCRIPTION

Jul. 22, 1992 [GB] United Kingdom 2,024,486
[52] U.S. Cl. **D13/133**
[58] Field of Search 439/261, 299, 306, 310,
439/311, 312, 314, 316, 345, 603, 610, 838;
D13/133

FIG. 1 is a perspective view of an electrical fitting primarily in the form of a connector showing my new design;

FIG. 2 is a front elevation view thereof, the side opposite being identical to the side shown;

FIG. 3 is a top plan view thereof;

FIG. 4 is a side elevation view thereof, the side opposite being identical to the side shown; and,


FIG. 5 is a bottom plan view thereof.

The broken line showing throughout the drawing figures is included for the purpose of illustrating environmental structure only and forms no part of the claimed design.

[56] References Cited

U.S. PATENT DOCUMENTS

D. 336,070 6/1993 Clark D13/133
3,297,975 1/1967 Pope D13/13 X
3,848,950 11/1974 McCormick et al. 439/311
4,284,313 8/1981 Anhalt 439/312 X
4,441,775 4/1984 Walters 439/312






FIG. 1





FIG. 2

FIG. 3






FIG. 4




FIG. 5