



US00D349766S

**United States Patent** [19]  
**Frankel**

[11] **Patent Number: Des. 349,766**

[45] **Date of Patent: \*\* Aug. 16, 1994**

[54] **HAMMER TOE CORRECTIVE PAD**

[76] Inventor: **Bruce Frankel**, 98 Ottawa Road S.,  
Marlboro, N.J. 07726

[\*\*] Term: **14 Years**

[21] Appl. No.: **923,178**

[22] Filed: **Aug. 3, 1992**

[52] U.S. Cl. .... **D24/189**

[58] Field of Search ..... 602/30, 23, 41, 79,  
602/41; D24/188, 189, 192

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

2,818,062	12/1957	Braxton	602/30
2,918,058	12/1959	Levitt	602/30
2,927,579	3/1960	Braxton	602/30
3,303,842	2/1967	Horlacher	602/30

**FOREIGN PATENT DOCUMENTS**

3905213 8/1990 Fed. Rep. of Germany ..... 602/30



*Primary Examiner*—Stella Reid  
*Attorney, Agent, or Firm*—James & Franklin

[57] **CLAIM**

The ornamental design for a hammer toe corrective pad, as shown and described.

**DESCRIPTION**

FIG. 1 is a top, left side perspective view a hammer toe corrective pad, showing my new design;  
FIG. 2 is a rear elevational view thereof;  
FIG. 3 is a top plan view thereof, the bottom plan view being a mirror image thereto;  
FIG. 4 is an end elevational view thereof, opposite that shown in FIG. 1;  
FIG. 5 is a front perspective view thereof, in folded condition; and,  
FIG. 6 is a rear perspective view thereof, in folded condition.






FIG. 1

FIG. 2




FIG. 4



FIG. 3

FIG. 5





FIG. 6