



US00D349841S

# United States Patent [19]

Kearns

[11] Patent Number: Des. 349,841

[45] Date of Patent: \*\* Aug. 23, 1994

**[54] PORTION OF A KEY BLADE BLANK****[75] Inventor:** Robert E. Kearns, San Francisco, Calif.**[73] Assignee:** Corbin Russwin, Inc., Berlin, Conn.**[\*\*] Term:** 14 Years**[21] Appl. No.:** 3,297**[22] Filed:** Jan. 6, 1993**[52] U.S. Cl.** ..... D8/347**[58] Field of Search** ..... D8/347-348; 70/393, 402, 405-407, 419, 437**[56] References Cited****U.S. PATENT DOCUMENTS**

- |            |         |              |       |          |
|------------|---------|--------------|-------|----------|
| D. 278,880 | 5/1985  | Widen        | ..... | D8/347   |
| D. 286,854 | 11/1986 | Fane et al.  | ..... | D8/347   |
| D. 328,856 | 8/1992  | Best et al.  | ..... | D8/347   |
| D. 335,253 | 5/1993  | Eizen        | ..... | D8/347   |
| 2,803,959  | 8/1957  | Schlage      | ..... | 70/347 X |
| 3,499,304  | 3/1970  | Nuajoks      | ..... | 70/406   |
| 4,608,842  | 9/1986  | Tietz        | ..... | 70/419 X |
| 4,964,288  | 10/1990 | Braun et al. | ..... | 70/406   |

**FOREIGN PATENT DOCUMENTS**

- |         |        |                      |       |          |
|---------|--------|----------------------|-------|----------|
| 88591   | 2/1960 | Denmark              | ..... | 70/406 X |
| 2740416 | 3/1979 | Fed. Rep. of Germany | ..... | .        |

**OTHER PUBLICATIONS**

Emhart Corporation Drawing Warding Date-Sections C1, 6202, 76D1.

Ilco Unican Corp Catalogue No. 60R (1984) Key Blank #A1170B (p.2).

Ilco Unican Corp Catalogue No. 60R (1984) Key Blank #1054F (p. 13).

*Primary Examiner*—Brian N. Vinson  
*Attorney, Agent, or Firm*—Darby & Darby**[57] CLAIM**

The ornamental design for portion of a key blade blank, as shown and described.

**DESCRIPTION**

FIG. 1 is a front view of a first embodiment of my new design of a portion of a key blade blank;  
FIG. 2 is a right side view of a first embodiment of my new design of a portion of a key blade blank;  
FIG. 3 is a left side view of a first embodiment of my new design of a portion of a key blade blank;  
FIG. 4 is a top view of a first embodiment of my new design of a portion of a key blade blank;  
FIG. 5 is a bottom view of a first embodiment of my new design of a portion of a key blade blank;  
FIG. 6 is a front view of a second embodiment of my new design of a portion of a key blade blank;  
FIG. 7 is a right side view of a second embodiment of my new design of a portion of a key blade blank;  
FIG. 8 is a left side view of a second embodiment of my new design of a portion of a key blade blank;  
FIG. 9 is a top view of a second embodiment of my new design of a portion of a key blade blank; and,  
FIG. 10 is a bottom view of a second embodiment of my new design of a portion of a key blade blank.






FIG. 4




FIG. 2




FIG. 5



FIG. 1






FIG. 3



**FIG. 9**




**FIG. 7**



**FIG. 10**



**FIG. 6**



**FIG. 8**